

# Handheld Wired 1D Laser Bar Code Reader Barcode Scanner

(Model No.: OCBS-L015)

## Feature:

200MM/S Scan Speed

10-60cm long depth of field

Compatible with multiple language layouts

1.5m free fall on concrete surface

Can switch to Manual , Continuous scanning, Auto Sensing

## Specification:

Item	Parameter
Light Source	Visible laser 650nm
Safety	Accord with China National Laser Safety
Decoding Capability	UPC-A, UPC-E, EAN-13, EAN-8, ISBN/ISSN, Code39, Code Bar, Interleaved / ITF 25, Industrial 25, Code 128, Code 93, Code 11, MSI/PIESSEY, UCC/EAN128
Interface	USB ,RS232 ,PS/2
Trigger Mode	Manual , Continuous scanning, Auto Sensing
Transmission Speed	RS232 baudrate: 1200-19200
Scanning Width	Min 0.1mm(4mils)
Scanning Depth	2—9cm(0.1mm Width), 3—50cm(0.3mm Width)
Scanning Speed	200scans / sec
Scanning Distance	10-600mm Roll 60°, Pitch45°
Operating Temp.	-20°C—50°C
Storage Temp.	-20°C—60°C
Operating Humidity	0—95%
Storage Humidity	5%—95%
Power Supply	DC 5V±5%
Operating Current	50ma(Operating), 40ma(Stand By), 100ma(Max)
Quiescent Current	20mA
Shock Resistance	1.5m free fall on concrete surface
Language	multiple languages
Material	ABS+PVC+PC
Casing Size	167*97*65mm
ESD Protection	15KV air discharge



OCBS-L015





OCBS-L015





OCBS-L015





# OCBS-L015





OCBS-L015





OCBS-L015

