































Features:

Android 14 with GMS certificate,2G/3G/4G full netcom

TSMC's advanced process reduces heat and power consumption by 40%

4.0inch IPS LCD 360-degree full viewing angle

high configuration:4GRAM+64G ROM default,DDR4 RAM is 50% faster than DDR3

Professional optical design engine,1.3M Pixel(datalogic)

One-dimensional decoding <30 ms

Specification

Model	OCBS-M63S				
OS	Android 14 with GMS certification				
CPU					
MEMORY	MTK8786,Octa-Core 2.0 GHz ,2*cortex A75+6*cortex A55 4G RAM+64G ROM				
Extend Slot					
Exteria siot	Micro SD slot*1, support up to 256GB				
	Nano SIM card slot*1				
Power supply	5V/2.4A power adaptor				
PC Communication	Type C USB 2.0, support OTG and charging				
LED	Charging, Scan and System status				
Charging Time	0-90% <3 hours				
Operation Duration	30 hours				
Data collection					
Scan Engine	Datalogic Authorized E3140				
2D	Aztec Code; China Han Xin Code; Data Matrix; MaxiCode;				
	Micro QR Code; QR Code; EAN/JAN Composites; GS1 DataBar				
	Composites;				
	GS1 DataBar Expanded Stacked; GS1 DataBar Stacked;				
	GS1 DataBar Stacked Omnidirectional; MacroPDF;				
	MicroPDF417; PDF417; UPC A/E Composites				
1D	Auto discriminates all standard 1D codes including GS1				
	DataBar™ linear codes.				
Post	Australian Post; British Post; China Post; IMB; Japanese				
	Post; KIX Post; Korea Post; Planet Code; Postnet; Royal				
	Mail Code (RM4SCC)				
Wireless connectivity					
WLAN	802.11 ac/a/b/g/n ,wifi dual band				
WWAN	GSM:B3/B5/B8				
WWW	UMTS:B1/B5/B8				
	FDD-LTE:B1/B3/B5/B7/B8				
BL	TDD-LTE:34/38/39/40/41				
Bluetooth	BLE 5.0				
GPS	GPS/Glonoss/Galileo/Beidou,Assisted GPS				
Physical Specifications					
LCD	4 inch, 800*480, visible under sunshine				
Touch	GFF Capacitive Touch, Dragontrail Glass				
<u> </u>					
Camera	Auto focus 8Mega, with flash LED, front 5Mega camera for				
	Auto focus 8Mega, with flash LED,front 5Mega camera for option				
Camera Keypad	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad				
	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad Left/Right Scan Key				
Keypad	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad Left/Right Scan Key Back, HOME, Switch on the screen				
Keypad Receiver	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad Left/Right Scan Key Back, HOME, Switch on the screen Support				
Keypad Receiver Speaker	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad Left/Right Scan Key Back, HOME, Switch on the screen Support Min 100db at 10cm-1KHz Voice				
Receiver Speaker Mic	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad Left/Right Scan Key Back, HOME, Switch on the screen Support Min 100db at 10cm-1KHz Voice Noise Reduction Mic				
Keypad Receiver Speaker	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad Left/Right Scan Key Back, HOME, Switch on the screen Support Min 100db at 10cm-1KHz Voice Noise Reduction Mic USB type-C,				
Receiver Speaker Mic	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad Left/Right Scan Key Back, HOME, Switch on the screen Support Min 100db at 10cm-1KHz Voice Noise Reduction Mic USB type-C, Charging cradle				
Receiver Speaker Mic	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad Left/Right Scan Key Back, HOME, Switch on the screen Support Min 100db at 10cm-1KHz Voice Noise Reduction Mic USB type-C,				
Receiver Speaker Mic Charging IO	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad Left/Right Scan Key Back, HOME, Switch on the screen Support Min 100db at 10cm-1KHz Voice Noise Reduction Mic USB type-C, Charging cradle				
Receiver Speaker Mic Charging IO Battery	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad Left/Right Scan Key Back, HOME, Switch on the screen Support Min 100db at 10cm-1KHz Voice Noise Reduction Mic USB type-C, Charging cradle Removable 5000mAh				
Receiver Speaker Mic Charging IO Battery Battery life	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad Left/Right Scan Key Back, HOME, Switch on the screen Support Min 100db at 10cm-1KHz Voice Noise Reduction Mic USB type-C, Charging cradle Removable 5000mAh 500 cycle> 80%				
Receiver Speaker Mic Charging IO Battery Battery life Dimension	Auto focus 8Mega, with flash LED,front 5Mega camera for option 20 Numeric Keypad Left/Right Scan Key Back, HOME, Switch on the screen Support Min 100db at 10cm-1KHz Voice Noise Reduction Mic USB type-C, Charging cradle Removable 5000mAh 500 cycle> 80% 165.86*67*19.22mm				

Weight	Gross⊓760g				
Package	Gross 190*108*60mm				
Environmental	150 100 00111111				
Specifications					
Operation Temperature	-25°C ~ +55°C				
Storage Temperature	-30°C ~ +70°C				
Humidity	10% ~ 90%				
Drop	1.5m, concrete, 12 drops				
IP ESD	IP65 ±8kV Contact, ±15kV Air				
Keypad life cycle	300K				
Accessories	30010				
Optional	Single host and battery charger*1				
ориски.	Silicon rubber case*1				
	4 in 1 host device charger*1				
	4 in 1 battery charger*1				
	Spare battery *1				
	Wrist strap*1				
	Shoulder belt*1				



Certification



Professional Sales



Exhibition



Customers



Received By Customers

