

China shenzhen oem best hand free pos android auto-sense omni
wired 1d 2d qr code barcode scanner manufacturer

(M/N:OCBS-T215)

Features:



Large reading window;

Quickly identify the screen 1D/2D code;

Hidden anti-pull data cable socket.

Specification

| | |
|-------------------------------|---|
| General | |
| Model | OCBS-T215 |
| Interface | USB |
| Operating Voltage | 5V |
| Starting Current | 420mA |
| Work Current | 400mA |
| Standby Current | 270mA |
| Performance | |
| Sensor | Overall exposure 640*480 CMOS sensor |
| Light source | Red LED |
| Field view | 57.2° (H), 44.2°(V) |
| Motion tolerance | > 0.3m/s |
| Scan Angle | Pitch ±70°@ 0°Roll and 0° Skew Roll 360°@ 0°Pitch and 0° Skew Skew ±70°@ 0°Roll and 0° Pitch |
| Symbol Contrast | 20% minimum reflective difference |
| Ambient Light Immunity | 0-100,000 Lux |
| Typical Depth of Field | Code39(5mil):20mm-80mm, EAN13(13mil):10mm-160mm QR(15mil):10mm-140mm Data Matrix (15mil):10mm-100mm PDF417 (10mil):10mm-120mm |
| Decoding ability | (Codabar),(Code 39),(Code 32),(Industrial 2 of 5),(Interleaved 2 of 5),(Standard 2 of 5),(Matrix 2 of 5),(Code 93),(Code 11),(Code 128),(UPC-A),(UPC-E),(EAN/JAN-8),(EAN/JAN-13),(GS1 DataBar(RSS14) (PDF417),(QR Code),(Micro QR),(Data Matrix),(Aztec),(Hanxi code) |
| Physical | |
| Weight | Gross:640g |
| Package | 230*170*95mm |
| Environment | |
| Working temperature& humidity | 0 to 45 degrees centigrade , 10%~80% No condensation |
| Storage temperature& humidity | -20 to 60 degrees centigrade , 10%~90% No condensation |















Model: OCBS-T215

Interface: USB



OCBST2152214100001

Made in China









2D Barcode Scanner
Model: OCBS-T215 Color: Black
Interface: USB
Power Input: 5V1A CE FC

OCBS T2152214100001
Made in China