

High Precision Wireless 2D Barcode Scanner

(M/N:OCBS-W233)

Features:

- | Standard Bluetooth+2.4G+USB Communication
- | 1 million pixel high precision scanning engine
- | 250mA low power design can scan 30,000 times
- | Button life reaches up to 8 million times.
- | Support pre-targeting function
- | Scanning long barcode has high performance
- | Big wireless buffer can transfer 600 characters

Light Resource	CMOS (5600K White LED)
CPU	32 bit
Image resolution	1MP(1280*800)
Wireless function	2.4G+USB or 2.4G+Bluetooth+USB for optional
Supported Symbolologies	2D: PDF417, Micro PDF 417, QR Code (QR1/2, Micro), Data Matrix, Aztec, Chinese Sensible Code 1D : UPC-A, UPC-E, EAN-8, EAN-13, Code128, Code39, Code 93, Code32, Code11, Codabar, Plessey, MSI, Interleaved 2 of 5, IATA 2 of 5, Matrix 2 of 5, Straight 2 of 5, Pharmacode, RSS-14, RSS-14 Expanded, RSS-14 Limited, Composite Code-A, Composite Code-B, Composite Code-C.
Precision	1D \geq 4 mil (0.10mm)
	2D \geq 7 mil (0.10mm)
Depth of scan field	Code 39-5mil:60mm-120mm
	UPCA-13mil(100%):35mm-310mm
Decode error rate	Less than 1/8 million
Print Contrast Signal	$\geq 30^\circ$
scan angle	Yaw(Skew)55 $^\circ$ & Pitch55 $^\circ$
Battery	2000mAh (30000 times scan and transmission)
Working Voltage	5VDC \pm 10%
Current	working 250mA \pm 5%
Operating temperature	0 $^\circ$ C~ +50 $^\circ$ C
Storage temperature	-40 $^\circ$ C~ +70 $^\circ$ C
Humidity	5%-95%
Certifications	CE, IP54, ROHS, FCC ,EMC , RED, LVD
Weight	275g
Box size	190mm*115mm*85mm;
Carton Weight	50 sets/ctn;16kg/ctn;
Carton size	600mm \times 450mm \times 420mm



OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233

