

80mm Thermal Receipt Printer With Auto Cutter

(M/N:OCPP-80K)

Features:

- l. It can be used as top paper coming printer and front paper coming printer
- m. It's built-in power adaptor,which avoid messy cord everywhere,saving much space
- n. Support 8 kinds abundant interface combination
- o. Supports multi 1D barcode and QR code printing
- p. Support printer status monitoring function
- q. Support printing queuing ticket function
- r. 100M Ethernet port, ultra high speed data transmission
- s. 256KB NV Logo storage and 256kb big buffer memory
- t. 48 or 80mm adjustable paper separetor for option
- u. 150KM long life printer head

Specification

General	
Model	OCPP-80K
Name	80mm desktop thermal printer with auto cutter
Color	Black
Interface	USB/USB+Lan/USB+BT/USB+WIFI/URL+WIFI/URL+BT/USB+RS232
Power supply	Input:AC 100V-240V 50-60Hz Output:DC 24V/2.5A
Cash drawer	DC 24V/1A
Printer head lifespan	150KM
Cutter	Auto cutter
Sensors	Paper out, cover open, cutter jam,paper jam and black mark detection(Optional)
Buffer	Input buffer:256K/NV Flash 256K
Accessories	Data cable, power adaptor, power cord, paper roller, CD, manual, Paper separator(optional)
OS supporting	Compatible with :OS/ Android/ Windows/Linux
Safety standards	CE, FCC, RoHS etc
Printing capability	
Printing method	Direct thermal line
Resolution	378 Dots/line or 512 Dots/Line(800x1mm, 203dpi)
Printing speed	200mm/s (L/UR) 200mm/s (L/LH+BT/ L+WiFi) 300mm/s (URL/URL+BT/URL+WiFi)
Print width	72mm
Graphics printing	Supports bitmap download and print (each bitmap size Max 20K)
Printing Command	Compatible with ESC/POS
Barcode and character	
Barcode	1D barcode: UPC-A/UPC-E/JAN13/EAN13/JAN8/EAN8/CODE39/ITF/ CODABAR/CODE39/CODE128 2D barcode:QR CODE/Single USB or QR code function
Character	Standard GB2312/86 simplified / traditional Chinese Fonts
Character size	384dots/line, ANK character, Font: A: 12*24dots, 1.5*(W*3.0)H mm Font: B: 9*17dots, 1.1(W)*2.1(H)mm Simplified/traditional: 24*24dots, 3.0(W)*3.0(H)mm support
Japanese/Korea	Optional
User-defined language	PC437/ katakana/PC850/PC860/PC863/PC865/WestEurope/Greek/Hebrew/EastEurope/Iran/WPC1252/PC866/PC852/PC858/Iran/I/Lahian/Arabic/PT151_1251/PC737/WPC1257/Thai/Vietnam/PC864/PC1001/Latvian/(PC1001)/PT151_1251/(WPC1257)/(PC864)/(Vietnam)/(Thai)
Media	
Paper type	Thermal roll paper
Paper width	48mm/52mm/56mm/64mm/68mm/76mm/80mm
Paper thickness	120-140mm
Paper roll diameter	80mm Max
Paper separator	support
Package	
Dimension	196*145*135mm
Weight	1.15kg
Package box	235*220*170mm
8 in 1 carton	475*445*358mm/14.4kg
Working temperature& humidity	
Working temperature& humidity	0 to 45 degrees centigrade, 10%~80% No condensation
Storage temperature& humidity	-20 to 60 degrees centigrade, 10%~90% No condensation

Product details









