

58MM Thermal Printer

(Model No.: OCPP-582)



Item specifics

- High speed, long lifetime, high quality, low repair rate, applicable for various software
- Modern design, easy to use
- Support Logo download printing
- GB2312 Chinese Character Library Support Simplified Chinese/traditional Chinese and various international languages
- 100MB Ethernet interface, quicker link and print, avoid losing the order

Specification:

Printing method	Direct thermal
Print font	FONT A: 33 or 35; FONT B: 40 or 42
Character size	Font A : 12 × 24; Font B : 9 × 17; Chinese: 24 X 24
Barcode	JAN13(EAN13) JAN8(EAN8) CODE39
Printing command	compatible with EPSON ESC/POS
Language	Buyer language support
Character per line	384dots/line (203DPI)
Printing speed	90mm/sec
Paper width	57.5±0.5mm
Paper thickness	0.06-0.08mm
MCBF(life)	50km
Dimension	235X145X125mm
Gross weight	2.6KG
Auto cutter	manual cutter
Sensor	Paper Near End Sensor, Paper End Sensor, Cover open sensor
Roll paper	φ65mm
Interface	Parallel, USB, LAN
Driver	Win 9X/Win ME/Win 2000/Win 2003/Win NT/Win XP/Win Vista/Win 7/Linux

Power supply	DC12V/3A
--------------	----------

Different Angles:




Different Parts:



Excellent main board, ultra durable big gear, support Linux/Windows 7 system driver, various international languages.

Printer Head:

Print life: 50 KM
Effective print width: 48 mm
Maximum printing speed: 80 mm/s
Print voltage: 4.2-8.5 V
Paper cutting way: manual tearing



4 Interfaces for option:



Parallel



Serial



USB



Lan

Available Power Plug:



Packing details

Single Carton Box



One piece in a single box, 12 pieces into an out carton. Carton size 61*47*49 cm.

Application Area:

► Application scenario

Logistics



Warehouse management



Supermarket



Clothing label



Jewelry label



Restaurant



Related products:

[OCP-582 High quality 58mm thermal receipt printer](#)