

OCPP-587-UR 58mm thermal receipt printer with big paper holder USB+COM Ports

(M/N:OCPP-587-UR)

Product description:

OCPP-587 is a Mini 58MM thermal printer, the design exquisite fashion, small and smart, with highly technological sense. Using large motor and a big gear movement design, drag 83MM large diameter roll and achieve 130 mm / s high speed printing at the same time, the perfect solution to solve the problem of common 58mm printer support small diameter roll, print speed slow, enable print more efficient. At the same time, provides a rich interface, including network port (100M), WIFI, Bluetooth, GPRS, enable print more flexible and convenient.

Product performance:

- Appearance compact design, fashion technology;
- Easy paper feed structure, simple and convenient operation;
- High reliability of large motor and large gear movement;
- 130 mm / s speed print, significantly improve the printing efficiency;
- Big paper warehouse design, the perfect support for 83MM large diameter rolls;
- Rich interface optional: USB, COM, Internet (100M), WIFI, Bluetooth, GPRS;
- Support GB18030 large font and multi language ;
- Supports LOGO and graphics downloads and print;
- Supports Windows, Linux, Android and IOS system print;
- 100M Ethernet interface, print quickly while avoiding losing bills.

Printer Parameters:

Items	Parameters
Print parameters	Printing Method Thermal Line
	Printing Method 48MM
	Resolution 384dots/Line[8dots/mm][203dpi]
	Printing Speed 130mm/Second
	Interface Type USB[COM][Internet][100M][WIFI][GPRS][Bluetooth]
Bar code Character	Line Spacing 3.75 mm[Can adjust line spacing by command]
	Line No. Font A:32 character/Line Font B:42 character/Line
	Character Simple,traditional Chinese-16 lines
	Character Size Standard GB18030 simplified / traditional Chinese Fonts ANKcharacter[Font A[1.5x3.0mm][12x24]]
	Extended character set Font B[1.1x2.1mm][9x17]. Simplified/Traditional Chinese[3.0x3.0mm][24x24 Dots]
Graphics printing	Bar code PC437/Katakana/PC50/PC56/PC57/PC58/WestEurope/Greek/Hebrew/EastEurope/Iran/WPC1252/PC866/PC852/PC858/Iran/Latvian/Arabic/PT151.125/LPC737/WPC1257/Thai/Vietnam/PC864/PC1001/Latvian/(PC1001)/(PT151.1251)/(WPC1257)/(PC864)/(Vietnam)/(Thai)
	Bar code 1D bar code[UPC-A/UPC-E/JAN13(EAN13)]JAN8(EAN8)/CODE39(ITF) CODABAR/CODE93/CODE128 2D bar code[QR CODE] Supports bitmap download and print
Paper	Graphics printing
	Type Thermal Roll
Print commands	Width 57.5±0.5mm
	Diameter ≤83mm
Power	Feed Method Easy feed(Clamshell feed)
	Commands ESC/POS
Buffer	Power Adaptor Input:AC 100V-240V/50-60Hz Output:DC 12V/2A
	Cashier Drawer output DC 12V/1A
physical characteristics	Input Buffer 4K
	NV Flash 40K
Environment	Weight 750g
	Dimension 180*115*127(MM)
Reliability parameter	Working Temp:15 ~ 45℃ Humidity:(10 ~ 80%
	Storage Temp:-10 ~ 50℃ Humidity:(10 ~ 90%)[No dew]
Software	Print Head Life 100KM[print density≤12.5]
	Driver Android,IOS,Linux,_WinXP,Win7,Win8,Win8.1,Win10



0CPP-587





0CPP-587



www.ocominc.com

CE FCC



Thans & Best Regard
Harold Hu

OCOM Technologies Limited

Address: 4/F, Block 10, Zhongxing Industrial Park, Chuangye Road, Nanshan District,
Shenzhen 518054, China;

Website: www.ocominc.com, www.possolution.com.cn ;

E-mail: sales14@ocominc.com ;

Skype: [sales14@ocominc.com](https://www.skype.com/people/sales14@ocominc.com)

MSN: ocomsales14@hotmail.com ;

Whatsapp: 0086.18948789890;

Wechat: 0086.18948789890;

Mobile: 0086.18948789890;

QQ: 1467261417;

Tel: 0086.755.86053207-814;

Fax: 0086.755.86053207-868;