

Small cheap 58mm POS thermal receipt printer with built-in power adaptor

(M/N.: OCPP-58E)

Product Introduction:

OCPP-58E is a well-designed economic printer for common thermal bill printing, this model is with solid material, Exquisite workmanship. Transparent cover design, simple and fashion, easy for users to know the paper rolls' Using status, OCPP-58E adopt built-in power supply, not only can save space, but also easy for users to configure and use the printers. It's a very good choice for economical printing.

Product Features

- Simple and fashion, With solid material, exquisite workmanship.
- Easy paper install structure, simple and convenient to operate
- Built-in power supply design, to save space and more convenient to configure;
- Transparent cover design, the user can know the paper roll's using status anytime;
- Support GB18030 big font, easy to print uncommon characters
- Support multi language print, suitable for users all over the world;
- Support download and print LOGO & graphics ;
- Support Windows, Linux, Android and IOS system printing

Application Area

Shopping malls, restaurants, stores, warehousing, taxation, banking, medical, postal

Parameters

| Items | Parameters |
|--------------------------|---|
| Print parameters | Printing Method |
| | Thermal Line |
| | Printing Width |
| | 48MM |
| | Resolution |
| | 384 dots/Line/8 dots/mm [203 dpi] |
| | Printing Speed |
| Bar code Character | 90mm/Second |
| | Interface Type |
| | USB/USB+Bluetooth |
| | Line Spacing |
| | 3.75 mm [Can adjust line spacing by command] |
| | Line No. |
| | Font A:32 character/Line Font B:42 character/Line Simple, traditional Chinese-16 lines |
| Graphics printing | Character |
| | Standard GB18030 simplified / traditional Chinese Fonts |
| | Character Size |
| Paper | ANK character [Font A] 1.5×3.0mm [12×24 dots] Font B [1.1×2.1mm] 9×17 dots [Simplified/Traditional Chinese] 3.0×3.0mm [24×24 dots] PC437/Katakana/PC850/PC860/PC863/PC865/West Europe/Greek/Hebrew/East Europe/Iran/WPC1252/PC866/PC852/PC858/Iran/Latvian/Arabic/PT151.1251/PC737/WPC1257/Thai/Vietnam/PC864/PC1001/(Latvian)/(PC1001)/(PT151.1251)/(WPC1257)/(PC864)/(Vietnam)/(Thai) |
| | Extended character set |
| | Bar code |
| Print commands | UPC-A/UPC-E/JAN13/EAN13/JAN8/EAN8/CODE39/ITF/CODABAR/CODE93/CODE128 |
| | Graphics printing |
| | Supports bitmap download and print |
| Power | Type |
| | Thermal Roll |
| | Width |
| Buffer | 57.5±0.5mm |
| | Diameter |
| | ±60mm |
| physical characteristics | Feed Method |
| | Easy feed (Clamshell feed) |
| | Commands |
| Environment | ESC/POS |
| | Power Adaptor |
| | Input AC 100V-240V 50-60Hz Output DC 12V/2A |
| Reliability parameter | Cashier Drawer output |
| | DC 12V/1A |
| | Input Buffer |
| Storage | 4K |
| | NV Flash |
| | 40K |
| Print Head Life | Weight |
| | 590g |
| | Dimension |
| Working | 185*130*112(MM) |
| | Temp [5 ~ 45°C] Humidity [10 ~ 80%] |
| | Temp [10 ~ 50°C] Humidity [10 ~ 90%/No dew] |
| Storage | Temp [10 ~ 50°C] Humidity [10 ~ 90%/No dew] |
| | Temp [10 ~ 50°C] Humidity [10 ~ 90%/No dew] |
| | Temp [10 ~ 50°C] Humidity [10 ~ 90%/No dew] |





OCPP-58E





OCPP-58E





Monica Fu



OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Tel: 0086.755.8605.3207 ext 801

Fax: 0086.755.8605.3207 ext 868

Web: www.ocominc.com

E-mail: sales01@ocominc.com, sales01@ocomtech.com.cn

Skype: ocomsales01; **MSN:** ocomsales01@hotmail.com

Ali TM: cn1001868228; **QQ:** 1483705401

Mobile/Wechat/Whatsapp: 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products