



## 58MM Thermal Printer

(Model No.: OCPP-58Z)

### FEATURE:

- 1 Small size and elegant design
- 1 Can drive cash drawer
- 1 The built-in power adapter
- 1 Support Android system
- 1 Bar code printing function(optional)
- 1 Compatible with ESPON
- 1 Printing head life: 50KM

### SPECIFICATION:

|                               |   |
|-------------------------------|---|
| <b>Printing Method</b>        | Direct thermal  |
| <b>Print Density</b>          | 384dots/line (203DPI)   |
| <b>Character Size</b>         | 384dots/line, ANK character, Font: A: 12*24dots, 1.5(W)*3.0(H) mm<br>Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm |
| <b>Barcode Type</b>           | JAN13(EAN13) JAN8(EAN8) CODE39 QR (optional)  |
| <b>Printing Command</b>       | Compatible with EPSON ESC/POS   |
| <b>Language</b>               | Buyer language support  |
| <b>Printing Speed</b>         | 90mm/sec(max)   |
| <b>Paper Width</b>            | 57.5±0.5mm  |
| <b>Paper Thickness</b>        | 0.06-0.08mm   |
| <b>MCBF(life)</b>             | 50km  |
| <b>Dimension</b>              | 175*130*110mm   |
| <b>Gross Weight</b>           | 0.8 KG  |
| <b>Auto Cutter</b>            | manual cutter   |
| <b>Sensor</b>                 | Paper Near End Sensor, Paper End Sensor, Cover open sensor  |
| <b>Roll Paper</b>             | Φ75mm   |
| <b>Interface</b>              | USB   |
| <b>Driver</b>                 | Win 9X, Win 2000, Win 2003, Win XP, Win Vista, Win 7,Win8 compatible with<br>ESPON                                      |
| <b>Adapter Voltage Input</b>  | AC 110V/220V, 50-60Hz   |
| <b>Adapter Voltage Output</b> | DC12V/3A  |

|                              |                                  |
|------------------------------|----------------------------------|
| <b>Printer Input Voltage</b> | DC12V/3A                         |
| <b>Cash Drawer Control</b>   | DC12V/1A                         |
| <b>Working Temperature</b>   | 0-45degree C, Humidity: 10-80%   |
| <b>Saving Temperature</b>    | -10-60degree C, Humidity: 10-90% |
| <b>Certificate</b>           | CE/FCC/CCC/RoHS                  |