

80MM Thermal Printer

(Model No.: OCPP-80M)

Features:

1. 260mm/sec High Speed Printing
2. Auto Cutter Life: 1 million cuts
3. Support QR CODE Printing
4. Serial + USB + LAN Interfaces
5. Support International Language
6. Printer Status Monitoring
7. Support sound and light reminder function
8. Front paper design prevents water splashing
9. Suitable for kitchen applications

Specification:

Printing Method	Direct Thermal
Character Size	ANK,FontA:12*24dots,FontB:9*17dots,Simplified/Traditional Chinese :24*24 dots
Column Capacity:	576dots/line OR 512dots/line
Code Page	PC347[]Standard Europe[]Katakana[] PC850[]Multilingual[]PC860[]Portuguese[] PC863[]Canadian-French[]PC865[]Nordic[] West Europe[]Greek[]Hebrew[]East Europe[]Iran[]WPC1252[]PC866[]Cyrillic#2[]PC852 []Latin2[]PC858(Latin2)[]IranII[]Latvian[]Arabic[]PT151[]1251[]
Barcode	UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/CODE93/CODE128
Printing Speed	260mm/sec
Input Buffer	1024K bytes
Paper Width	79.5±0.5mm
MCBF(life)	100km
Printing Command	Compatible with ESC/POS
Cash Drawer Control	DC24V/1A
Paper Thickness	0.06-0.08mm
Cutter	Manual Cutter
Roll Paper	79.5±0.5mm* φ83mm
Interface	Serial + USB + LAN
Drivers	Win 9X/Win ME/Win 2000/Win 2003/Win NT/Win XP/Win Vista/win 7&8/Linux/win10
Power Supply	DC24V/2.5A
Power Adapter Input	AC 110V/220V, 50~60Hz ;output[]DC 24V/2.5A
Dimension	185x140x134mm(L*W*H)
Weight	1.48kg



OCPP-80M





Aocom[®]
Thermal Receipt Printer
Model: OCPP-80M
Paper Width: 80mm
Print Speed: 200mm/s
Power Input: 24V AC 2.5A
Interface: RS232C/USB/LAN
CE FCC CB RoHS
MADE IN CHINA



ocom[®]
All your side

Thermal Receipt Printer
Model: OCPP-80M
Paper Width: 80mm
Print Speed: 260mm/s
Power Input: 24V --- 2.5A
Interface: RS232+USB+LAN
Command Support: ESC/POS

OCPP80M-NMBZ1908100030

CE FC CB RoHS
MADE IN CHINA



OCPP-80M





OCPP-80M

