

# OCPP-80M factory supply pos 80mm receipt thermal printer

(Model No.: OCPP-80M)

## Features:

260mm/sec High Speed Printing;  
Auto Cutter Life: 1 million cuts;  
Support QR CODE Printing;  
Serial + USB + LAN Interfaces;  
Support International Language;  
Printer Status Monitoring;  
Support sound and light reminder function;  
Front paper design prevents water splashing;  
Suitable for kitchen applications.

## Specification:

<b>Printing Method</b>	Direct Thermal
<b>Character Size</b>	ANK,FontA:12*24dots,FontB:9*17dots,Simplified/Traditional Chinese :24*24 dots
<b>Column Capacity:</b>	576dots/line OR 512dots/line
<b>Code Page</b>	PC347(Standard Europe),Katakana, PC850(Multilingual),PC860(Portuguese), PC863(Canadian-French),PC865(Nordic), West Europe,Greek,Hebrew,East Europe,Iran,WPC1252,PC866(Cyrillic#2),PC852(Latin2), PC858(Latin2),IranII,Latvian,Arabic,PT151(1251)
<b>Barcode</b>	UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)/CODABAR/ITF/CODE39/CODE93/ CODE128
<b>Printing Speed</b>	260mm/sec
<b>Input Buffer</b>	1024K bytes
<b>Paper Width</b>	79.5±0.5mm
<b>MCBF(life)</b>	100km
<b>Printing Command</b>	Compatible with ESC/POS
<b>Cash Drawer Control</b>	DC24V/1A
<b>Paper Thickness</b>	0.06-0.08mm
<b>Cutter</b>	Manual Cutter
<b>Roll Paper</b>	79.5±0.5mm* φ83mm
<b>Interface</b>	Serial + USB + LAN
<b>Drivers</b>	Win 9X/Win ME/Win 2000/Win 2003/Win NT/Win XP/Win Vista/win 7&8/Linux/win10
<b>Power Supply</b>	DC24V/2.5A
<b>Power Adapter Input</b>	AC 110V/220V, 50~60Hz ;output:DC 24V/2.5A
<b>Dimension</b>	185x140x134mm(L*W*H)
<b>Weight</b>	1.48kg



OCPP-80M





OCPP-80M





OCPP-80M





# OCP-80M

