80MM Thermal Receipt Printer with Auto Cutter

(Model: OCPP-80S)

Features:



Compact design, fashionable appearance, easy to load paper;

Supports multi 1D barcode and QR code printing;

Support printer status monitoring function;

Support printing queuing ticket function;

Support different interface combination;

Up to 300mm/s high speed, low noise printing;

48 or 80mm adjustable paper separator for option;

150KM long life printer head;

Supporting wall mounting.

Specification

General	
Model	OCPP-80S
Name	80mm desktop thermal printer with auto cutter

Color	Black					
Optional Interface	USB/ USB + Lan/ USB + BT/ USB + WiFi/ URL + WiFi/ URL + BT for option					
Power supply	Input: AC 100V-240V, 50-60Hz, Output: DC 24V/ 2.5A					
Cash drawer	DC 24V/ 1A					
Printer head lifespan	150KM					
Cutter	Auto cutter					
Sensors	Paper out, cover open, cutter jam, paper jam and black mark detection (Optional)					
Accessories	Data cable, power adaptor, power cord, paper roller, CD, manual, Paper separator (optional)					
OS supporting	Compatible with iOS/ Android/ Windows/ Linux					
Printing capability						
Printing method	Direct thermal line					
Resolution	203 DPI					
Printing speed	200mm/s (U/ UR) 260mm/s (UU / UR					
Print width	72mm					
Graphics printing	Supports bitmap download and print (reach bitmap size Max, 20K)					
Printing Command	Compatible with ESC/ POS					
Barcode and character						
Barcode	ID Darcode: UPC-A, UPC-E/ JAN13 (EAN13 I) JAN9 (EAN8 I) CODE39 (TF) CODABAR (CODE9) (CODE128 2D Darcode: QR CODE (Single USB or VIR Solution no QR code function)					
Character size	ANK character, Front A: 12° 24dots, 1.5 (W) *3.0 (H) mm FrontB: 9°17dots, 1.1 (W) * 2.1 (H) mm Simplified/ Traditional: 24° 24dots, 3.0 (W) *3.0 (H) mm					
Japanese / Korea	Support					
User - defined language	PC437 / Katakana / PC450 / PC660 / PC685 / PC656 / WesEuropel Greek/ Hebrew / EastEurope / Inval WPC1252 / PC866 / PC852 / PC452 / PC866 / PC852 / PC853 / Iranil Latvian / Arabic/ PT151, 1251 / PC737 / WPC 1257 / Thai Vietnam / PC864 / PC1001 / (E14sin) / (FC001 /) (PT151, 1251) / (WPC1257) / (PC864 / Vietnam) / (Thai)					
Media						
Paper type	Thermal roll paper					
Paper width	48mm/ 55mm/ 56mm/ 64mm/ 68mm/ 76mm/ 80mm (optional)					
Paper Thickness	0.06-0.08mm					
Paper roll diameter	80mm Max					
Paper separator	support					
Physical						
Dimension	180* 142* 136mm					
Weight	1.65kg					
Package box	228* 215* 165mm					
Environment						
Working temperature & humidity	0 to 45 degrees centigrade, 10% ~ 80% No condensation					
Storage temperature & humidity	20 to 60 degrees centigrade, 10% ~ 90% No condensation					



Direct Thermal Printing

Without the printing ink and ribbon etc traditional consumables, Low material cost. 48 or 80mm adjustable paper separator for option





Supports multi 1D barcode and QR code printing

Support printer status monitoring function. Compatible with black mark paper and normal thermal paper, and has paper out, cover open, cutter jam, paper jam and black mark detection sensor.






Support printer status monitoring and printing queuing ticket function



Multiple interfaces

Supports USB, Bluetooth, Wifi and Local area network port optional





Packaging accessories SMART PRINTING



Beautiful packaging, original accessories



- 01 Machine 02 Thermal Paper 03 Paper Roller
- 04 Power Cord 05 USB Cable 06 User Manaul
 - 07 CD 08 Power Adaptor 09 RS232 Cable




Customized Your LOGC



Customized Your Packaging



Support Customer's Idea To Do The Design



APPLICATION







CERTIFICATE







Relevant documents:

80mm Thermal Receipt Printer CD_FILES