

OCPP-80Z retail restaurant supermarket small 80mm thermal bill printer machine

(Model No.: OCPP-80Z)

Features:

Desktop or wall-mounted type for option;

Supports multi 1D/2D Barcode Printing;

USB+LAN interface for data transmission;

Support receipt coming reminder.

Technical parameters

| | |
|--------------------------|---|
| Printing method: | Direct thermal |
| Printing speed: | 160 mm/s |
| Roll width: | 79.5±0.5mm |
| Print diameter: | Φ80mm |
| Paper thickness: | 0.06-0.08mm |
| Column capacity: | 576dots/line512 Dots/line |
| Print command: | Compatible with the ESC/POS command |
| Interface type: | USB+LAN |
| Cutters life: | 1million cuts |
| Print head life: | 100 km |
| NV Flash: | 256Kbytes |
| Power adaptor: | AC110V/240V,50~60Hz |
| Power supply: | DC 24V/1.5A |
| Cash drawer supply: | DC 24V/1A |
| Work environment: | Temperature(0-45) degree centigrade, humidity(10-80%) Non- condense |
| Storage environment: | Temperature(-10~60°C); Humidity(10~90%) |
| Character size: | ANK,FontA:1.5*3.0mm/ FontB:1.1*2.1mm |
| Barcode: | UPC-A/UPC-E/JA(EAN13)/JAN8(EAN8/CODE39/ITF /CODE93/CODE128, QR code, PDF417,Data Matrix) |
| Characters: | PC347(Standard Europe),Katakana,PC850(Multilingual),PC860(Portuguese),PC863(Canadian-French),PC865(Nordic),West Europe,Greek,Hebrew,East Europe,Iran,WPC1252,PC866(Cyrillic#2),PC852(Latin2), PC858,IranII,Latvian,Arabic,PT151(1251) |
| Physical characteristics | 179*152*118mm |



OCPP-80Z





OCPP-80Z





OCPP-80Z





OCP-80Z





OCPP-80Z





OCPP-80Z

