

# **Mini portable 58mm Bluetooth thermosensitive printer**

## **(Model: OCPP - M06)**

The mini printer has a model OCPP -m06, which is OCPP -m06 is Android (or iOS + Android), window, Linux, Java compatible battery-powered 58mm portable mobile hot pos printer, USB, RS-232 serial and Bluetooth ( Optional) The communication method is combined. The printer can be powered by a rechargeable battery, a power adapter or a car charger (depending on the specified model). Special models can be connected to 8 smart devices while printing. We have CE, FCC and other required certifications.

### **feature:**

Mini size is suitable for portable applications;

Windows, Java, Linux, Android (or Android + ios) support operating system;

Support Bluetooth, USB and RS232 communication;

SDK for Android is available;

1D, 2D barcode (QR code) and support image printing;

The printer name, password, baud rate can be changed online;

A printer can connect up to 8 smart devices (7 Android, an Apple device) Visa Blue Tooth;

Low-power and large-capacity lithium batteries (1500mAh), 4 ~ 5 days to be sealed;

Power is powered by a rechargeable battery, a power adapter or an automobile charger (specified model).

Higher print speed 90mm / sec;

100km thermal printhead life;

Multi-language support;

ESC / POS command set is compatible;

## Specification:

Total size (w × D × H)	105 × 75 × 45mm
weight	134G.
colour	Black
Print method	Hotline printing
Print command	ESC / POS compatible command set
Effective print width	48mm.
printing speed	Up to 90 mm / sec
Resolution	8:00 / mm (203DPI)
Print font	12x24 / 24x24
Column capacity	32 column / 16Columns
Character size	1.5 x 3.0 mm (w x H) / 3.0x3.0mm (wxh)
Paper size	58.0 ± 0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08 mm.
character set	Alphameric / Chinese Kanji
interface	USB, RS-232, Bluetooth (optional)
flash	256KB.
Power Adapter	9V DC / 2A
battery power	7.4V DC / 1500MAH; the battery can be maintained for 4-5 days, it is a full power supply, it can print 120-150 meters
Other features	Paper detection, manual shutdown
working environment	Temperature: -10 ~ 50 DEGC, humidity: 10% ~ 90%
Storage conditions	Temperature: -20 ~70 DEGC, humidity: 5% ~ 95%
Equipment name	You can customize, letters, and digital options in up to 30 ASCII characters.

password		Enter the default pairing code "1234" and can be customized or changed through the customer. At maximum of 6 numbers.
Power plug size		3.5 * 1.1mm.
Ordering Information	OCPP-M06-BB	Android, USB + COM + Bluetooth, battery.
	OCPP-M06-BB-AI	Android + iOS, USB + COM + Bluetooth, battery.
	OCPP-M06-B	Android, USB + COM + Bluetooth, no battery;
	OCPP-M06-U	Mini printer, Android, USB + COM, no batteries.
	OCPP-M06-BB-AA	Android + iOS, USB + COM + Bluetooth, battery, 7 Android +1 Apple device support







# OCPP-M06





# OCPP-M06









## Options Power Adapter:



## Application area:



Compared to traditional thermal printers, mini printers have smaller fuselage, more reliable capabilities, more stable printing and portable advantages. Mini printers can work in a large number of locations, such as taxi bill printing, administrative cost printing, pos T receipt printing, restaurant ordering information printing, online payment information printing, etc. With smartphones, fast popularity, etc., mini printers will Soon after the future.



**Key words:** Hot printer, Bluetooth printer, mini printer, portable printer, pos printer, mobile printer, receipt printer, wireless printer, ticket printer, bill printer, QR code printer, handheld printer, invoice printer, mini printer, 58mm Bluetooth printer, 2Inch Bluetooth printer.



