

(Model Number: OCPP- M06)



This mini printer with model number OCPP-M06 is a Android (or IOS+ Android ) ,Window, Linux, JAVA compatible battery powered 58mm portable mobile thermal pos printer which combines USB,RS-232 Serial and Bluetooth (optional) communication ways together. This printer could be powered by rechargeable battery, power adapter, or car charger (depending on specified models) . Special model can connect with 8 smart devices for printing at same time. We have CE, FCC and other required certifications.

#### Features:

- n Mini size suitable for portable application;
- n Windows, Java, Linux, Android (or Android +IOS ) operation system supported;
- n Bluetooth, USB and RS232 communication supported;
- n SDK for Android available;
- n 1D, 2D barcode (QR code), and image printing supported;
- n Can change the printer name, password, baud rate online;
- n One printer can connected with up to 8 smart devices (7 Android, one Apple device) visa blue tooth;
- n Low power consumption and large capacity Lithium battery (1500mAh), 4~5 days standby;
- n Powered by rechargeable battery, power adapter, or car charger (specified models)
- n Higher print speed 90mm/sec;
- n 100km thermal printer head life;

n Multiple languages supported;

n ESC/POS command set compatible;

### Specification:

|                           |                                                                                                          |                                                                               |
|---------------------------|----------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| Overall Dimension (W×D×H) | 105×75×45mm                                                                                              |                                                                               |
| Weight                    | 134g                                                                                                     |                                                                               |
| Color                     | Black                                                                                                    |                                                                               |
| Print method              | Thermal line printing                                                                                    |                                                                               |
| Print commands            | ESC/POS compatible command set                                                                           |                                                                               |
| Effective print width     | 48mm                                                                                                     |                                                                               |
| Print speed               | Up to 90mm/sec                                                                                           |                                                                               |
| Resolution                | 8 dots/mm(203dpi)                                                                                        |                                                                               |
| Print font                | 12x24/ 24x24                                                                                             |                                                                               |
| Column capacity           | 32 columns/ 16columns                                                                                    |                                                                               |
| Character size            | 1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)                                                                      |                                                                               |
| Paper dimensions          | 58.0±0.1mm x diameter 40.0mm                                                                             |                                                                               |
| Paper thickness           | 0.06 to 0.08mm                                                                                           |                                                                               |
| Character set             | Alphanumeric/ Chinese Kanji                                                                              |                                                                               |
| Interface                 | USB, RS-232□Bluetooth (optional)                                                                         |                                                                               |
| Flash                     | 256KB                                                                                                    |                                                                               |
| Power Adapter             | 9V DC/2A                                                                                                 |                                                                               |
| Battery Power             | 7.4V DC/ 1500mAh; battery can stay by for 4-5 days, when it is full power, it can print 120-150m paper   |                                                                               |
| Other features            | Paper detection, manual shut down                                                                        |                                                                               |
| Working conditions        | Temperature:-10~50 degC, Humidity:10%□90%                                                                |                                                                               |
| Storage conditions        | Temperature:-20~70 degC, Humidity:5%□95%                                                                 |                                                                               |
| Device name               | Can be customized, letter and digital for option, at max 30 ASCII characters.                            |                                                                               |
| Password                  | Enter default pairing code "1234", it can be customized or change by customer itself. At max 6 digitals. |                                                                               |
| Power plug dimension      | 3.5*1.1mm                                                                                                |                                                                               |
| Ordering information      | OCPP-M06-BB                                                                                              | Android, USB+COM+Bluetooth, Battery.                                          |
|                           | OCPP-M06-BB-AI                                                                                           | Android+IOS, USB+COM+Bluetooth, Battery.                                      |
|                           | OCPP-M06-B                                                                                               | Android, USB+COM+Bluetooth, without Battery;                                  |
|                           | OCPP-M06-U                                                                                               | Mini printer, Android, USB+COM, without Battery.                              |
|                           | OCPP-M06-BB-AA                                                                                           | Android+IOS, USB+COM+Bluetooth, Battery, 7 android +1 apple devices supported |

### Power adaptor for option:



**Application Area:**

Compared to the traditional thermal receipt printer, mini printer has smaller body, more reliable capability, more steady printing and portable advantages. The Mini printer can work on a lot of locations, such as the TAXI bill printing, administrative fees receipt printing, post receipt printing, restaurant ordering information printing, online payment information printing, etc. With the rapid popularity of smart-mobile, tablet and so on, Mini printer will be more widely used in the near future.



Key words: thermal printer, bluetooth printer, mini printer, portable printer, pos printer, mobile printer, receipt printer, wireless printer, ticket printer, bill printer, qr code printer, pocket printer, invoice printer, mini printer, 58mm bluetooth printer, 2inch bluetooth printer.





## **FAQ**

### **1. MOQ policy**

No MOQ limitation for the standard products, but the unit price is different, bigger quantity better price.

For customized production, you can discuss the MOQ with our sales representative directly.

### **2. Sample Availability & Policy**

After customers confirmed the specification, we are very glad to provide samples for testing and qualification.

All samples should be paid before shipment, the samples price is a higher than mass order. When the mass order placed, we can return you the samples cost, or send you more piece products with the shipments.

You can buy the samples from us directly using t/t, western union, or paypal. And you can also buy it on our online store at aliexpress:[http://www.aliexpress.com/store/403448?tracelog=minisite\\_CI](http://www.aliexpress.com/store/403448?tracelog=minisite_CI).

### **3. Warranty**

OCOM is dedicated to providing most cost-effective products and services with reliable quality that will meet customers' satisfaction;

We were qualified by a global fortune 500 company, and we have the top 1 level trade assurance which 100% protects your money and lead time.

Our warranty of the products is about 12+1 months from the shipment normally, some designated models can have as long as 24 months warranty;

Any product within 30 days of delivery failure occurs shall be deemed invalid delivery (DOA). DOA products will give priority to the replacement, and shipped by courier.

For mass order, we would like to supply some spare parts with shipment for local quick repair. And after that, you can return failure parts for rework and analysis.

### **4. Payment Terms**

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About sample order, T/T, Western Union, Escrow, Paypal are acceptable. Escrow Service is powered by Alipay.com. Currently, you can pay using Moneybookers, Visa, MasterCard and bank transfer. You can also pay with select debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

### **5. Shipment**

We accept all kinds of shipping ways including: express, air, sea, truck, or pick up by customers personally.

### **6. Customer**

Our main customers from European, Australia, and the fast growing South America, Africa, Russia...

We have served more than 1300 customers from 133 countries, including the global fortune 500 company like Unilever, O2....50 of them are the biggest distributor in the local territories.

### **Why You Choose Us**

Why You Choose OCOM?

1. Leading One-Stop POS and Auto-ID Related Products Supplier Qualified by Global Fortune 500 Companies
2. Tier 1 customers including Unilever, O2, Star...
3. 1500+ Customers Cover 133 Countries;
4. 9 Years OEM/ODM Experience.
5. Top 1 Level Trade Assurance in POS industrial guarantee quality and shipment date
6. Fast responses and professional service
7. FCC, CE, Soncap, POA, BIS, and other Certificates
8. 12+1 months warranty.
9. Shortlisted in "China Best Employer Award"

10. Belief: Integrity Based, Strive for Excellence, Win-win Cooperation

### **Company Information**

OCOM Technologies Ltd. is the main supplier and manufacturer of POS and Auto-ID related products with TUV verified.

OCOM's products portfolio covers Thermal Printer, Barcode Printer, Dot Matrix Printer, Barcode Scanner, POS Terminal, Magnetic Card Reader, Date terminal, and other POS Peripherals products(Cash Drawer, Customer Display, POS Monitor, POS keyboard, Money counter, Electronical Scale, Thermal Paper ), which are widely used for retailing, restaurant, bank, lottery, transportation, logistic, and other applications. We have CE, FCC and other required certifications.

OCOM's mission is to be the compelling choice for our partners, and our three basic belief are "Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.

Together we quest for the best.