80MM Bluetooth/wifi Thermal Printer

(Model Number: OCPP- M086)

Features:



Support Windows, Java, Android and IOS.

Bluetooth, wifi, USB and RS232 communication for option.

Battery charge indicator, easy to know rest power.

Higher print speed 90mm/sec.

50km TPH Life.

Low power consumption and large capacity Lithium battery.

Specification:

General	
Model	OCPP-M086
Name	80mm mini portable bluetooth thermal printer
Color	Black
Optional Interface	USB+BT / USB+COM / USB+WIFI
Battery	7.4V DC/ 2000mAh rechargeable li-ion battery
Power adaptor	DC 9v/2A
Standby time	4-5days after fully charged
Buffer	Input buffer: Up to 20K, Flash: 256K

TPH Life	50KM
Other function	Paper detection, Power detection, Manual shut down, 1D&QR Code Print, USB port could be used for charging
Accessories	Data cable, power adaptor, power cord, paper roller, CD, manual
OS supporting	Windows&Android & IOS Systems
Printing capability	
Printing method	Direct thermal line
Resoluiton	203DPI (8dot/mm)
Printing speed	70mm/sec (Max 90mm/sec)
Print width	72mm
Continuous printing	120 pieces Thermal Roll for fully charged battery
Characters per Line	Font A: 32 character /Line Simple, traditional Chinese: 16 character /Line
Printing Command	Compatible with ESC/POS
Barcode and character	
Character size	FontA: 12*24dots, 1.5(W)*3.0(H) Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm
Character set	Alphanumeric/ Chinese Kanji
Media	
Paper type	Thermal roll paper
Paper width	79.5±0.5mm
Paper feeding method	Easy paper loading
Paper roll diameter	40mm Max
Paper thickness	0.06-0.08mm
Physical	
Dimension	113*109*52mm
Weight	Net: 288g Gross: 570g
Package box	217*118*69 mm
40 in 1 carton	440*485*355mm/23kg
Environment	
Working temperature& humidity	0 to 45 degrees centigrade, 10%~80% No condensation
Storage temperature& humidity	-20 to 60 degrees centigrade , 10%~90% No condensation







××





