

Mini Portable 80mm Bluetooth Thermal Printer

(Model Number: OCPP- M12-C)

Features:

Mini size suitable for portable application;

Windows, Java, Linux, Android, IOS operation system supported;

SDK for Android, IOS;

One printer can connected with up to 8 smart devices (7 Android, one Apple device) visa bluetooth;

7.4V, 1500mA Battery;

Higher print speed 90mm/sec;

50km thermal printer head life;

Multiple languages supported;

ESC/POS command set compatible.

Specification:

Size	100 ×105 × 50 mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Effective print width	72mm
Print speed	90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	48 columns/ 24 columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(W x H)
Paper dimensions	80.0±1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB and Bluetooth
Flash	256KB
Power Adapter	9V DC/2A
Battery Power	7.4V DC
Full battery	Ability to print 150m
Working conditions	Temperature:-10~50 degC, Humidity:10%~90%
Storage conditions	Temperature:-20~70 degC, Humidity:5%~95%
Power connector	3.5*1.1 mm
Device name	Can be customized, letter and digital for option, at max 30 ASCII characters.
Password	Enter default pairing code "1234", it can be customized
Barcode (1D) printing support	Codabar (NW-7), Code 39, Code 93, Code 128, EAN-8, EAN-13, 2 and 5 digitadd-on, Interleaved 2-of-5, UCC / EAN 128, UPC-A, UPC-E, 2 and 5 digitadd-on

Support for printing barcodes (2D)	AztecCode, DataMatrix, GS1 / DataBar™ (RSS) family, MaxiCode, MicroPDF417, PDF417, QR Code, TLC 39
printing parameters	<ul style="list-style-type: none"> *Support for scalable fonts and fonts with preliminary scaling *Text scaling function *Support for rotating text printing in increments of 90° *Support for user-defined fonts, graphics and logos *Support for print templates *Support for fixed-width fonts and proportional-width fonts *Support for printing through the cloud *Ability to print PDF (optional)
Host OS support	Windows CE .NET, Pocket PC, Windows Mobile 2002, Windows Mobile 2003 SE, Windows XP, 2000, NT and later, Android 2.3, 4.0, 4.1 and later, iOS 5, iOS 6, iOS 7, iOS 10 and newer. Remote control.
Package includes	case, battery, cable USB, charger, car charger device, disk with information









