

58mm Mini Portable Android Bluetooth Printer

(Model Number: OCPP - M15)



Features:

Windows, Android, IOS operating system supported;

SDK for Android / IOS available;

1D, 2D barcode (QR code) and image printing supported;

Can change the printer name, password, transmission speed online;

200mAh 18650 battery pack;

Support USB port charging

Higher print speed 70 mm / sec;

50km life span of the thermal printer head;

Multiple languages supported;

ESC / POS compatible command set;

Specific:

| | |
|---------------|---------------------------------|
| Interfaces | USB / Bluetooth 4.0 |
| Print command | ESC / POS |
| Print method | Thermal printing |
| Print speed | 70mm / sec (can up to 90mm / s) |
| Resolution | 203 DPI (8 dots / mm) |

| | |
|------------------------|--|
| Total number of points | 384 dots / line |
| Print width | 48mm |
| Font size | 1.5 x 3.0mm (W x H) / 3.0 x 3.0mm (W x H) |
| Print fonts | 12 x 24; 24x 24 |
| Character set | Alphanumeric / Chinese Kanji |
| Data buffer | Up to 50,000 bytes |
| OS compatible | Window systems; Android and IOS operating systems |
| Paper | |
| gender | Roll paper |
| Width | 57.5 ± 0.5 mm |
| Roll diameter | φ≤40mm |
| Paper thickness | 0.06-0.08 mm |
| Electric | |
| Battery | 7.4 V DC / 2000 mA |
| Charging method | DC 5V / 2A |
| Waiting time | 4 days after full charge |
| Continuous printing | Thermal roll of 120 pieces for fully charged battery |
| Physical | |
| Dimension | 112 * 83 * 54mm |
| Unit of weight | 440g (accessories included: Li-ion batteries, cable, test paper) |
| Carton size | 47x38x34 cm |
| GW per carton | 18 kg (40 pieces / CTN) |
| Color | Black |
| Environmental | |
| Temperature | Work: -10 to 50 degrees |
| Humidity | Work: 10% -90% |
| Warantty | 12 months at least |
| Certificates | CE and FCC ROHS ISO9001: 2008 |
| Other characteristics | Paper detection, feed detection, manual shutdown, 1D printing and QR code; LED indicator; Department store paper; Fast acting USB charging |
| Accessories | |
| USB cable | 1 x 1m cable |
| CD driver | 1 piece |
| Adapter | 5V / 2A |
| Thermal roll | 1 piece |
| Manual | 1 piece |

Power adapter for option:



OCPM-M15







OCPP-M15











