

15.6 Inch Windows Multi-point Capacitive Touch POS System

(Model No.: POS-1509)

Features:

Standard Pentium quad-core 1.6GHz 3710 CPU;
Support Highest Turbo Frequency to 2.64GHz;
4GB RAM+64GB SSD;
15.6 inch LVDS Screen;
(16:9)1366*768 resolution;
Multi-point Capacitive Touch Panel;
5 million touch lifetime;
Aluminum base for adjusting the screen elevation angle.

Specifications:

Model	POS-1509
Main board (standard)	Pentium quad-core 1.6GHz 3710 Highest Turbo Frequency 2.64GHz
Main board (option)	Celeron quad core 1.99 GHz J1900N
OS	Windows 7 or 10 demo version without license
RAM	4GB Standard 8GB for option
Memory	64GB SSD standard, 128GB for option
Screen Size	15.6 inch Main Screen
Resolution	1366*768
Touch Screen	ten-point capacitive touch screen
Brightness	350cd/m ²
View Angle	Horizon: 150; Vertical: 140
I/O port	VGA*1, USB*4, RS232*1, DC input*1 RJ45(Ethernet port)*1, Audio output*1
Operating temperature	0 to 40 degree centigrade
Storage temperature	-20 to 60 degree centigrade
Power adapter	110-240V/50-60HZ AC power Input, DC12/5A output



POS-1509





POS-1509





POS-1509





POS-1509





POS-1509





POS-1509





POS-1509



