

15.6-inch All In One POS Terminal

(M/N: POS-1525)

Features:



Fan-free heat dissipation system make POS work well in harsher environment;

More scientific separated structure for easy maintenance and disassembly;

More configuration for selections.

Specification

Model	POS-1525
Name	15.6 inch touch POS terminal
Housing material	Aluminium alloy Plus ABS+PC
Display	
Main screen	15.6 inch touch screen monitor
Resolution	1366*768
Brightness	250cd/m ²
View angle	Horizon: 170, Vertical: 170
Touch screen	Multi-point projected G+G capacitive touch
Sub-display	13.3 inch display, 1366*768 for option
MSR	3-track card reader for option
Speaker	Built-in 4ohm/3W speaker*1 for option
Performance	
Motherboard	Intel Celeron J6412, 2.0GHz or Celeron J4125, intel core I3 / I5/I7 CPU for option
System Memory	1*SO-DIMM DDR4 slot, support 2400-3200mHZ, 4GB /8GB /16G for option
Storage device	64GB M.2 SSD or higher, up to 512GB
LAN/WLAN	10/100/1000Mbps, Realtek RTL8111F Lan chip built in Mini PCI-E slot, support embedded WIFI module
Operating System	Support Windows 10/11
Connectivity	
External I/O port J6412	Power button*1
	12V DC in jack*1
	LAN: RJ-45*1, USB*6, COM*1, VGA*1
	Line out*1, MIC in*1
Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-20 to 60 degrees centigrade
Working humidity	10%~90% No condensation
Storage humidity	10%~90% No condensation
Package	

Weight	Net: 4.7Kg, Gross: 5.7Kg
Package with foam inside	460*450*220mm
Accessories	
Power adapter	110-240V/50-60HZ AC power input, DC12V/5A output adaptor
Power cable	Power cable plug compatible with USA /EU / UK etc and customized available















Touch Screen POS Cashing Machine

SIZE:445*210*465MM

