15.6 Inch Windows/Android Touch POS Terminal

(M/N:POS-1566)

OCOM Wide-screen POS terminal has stylish and ultra slim body design, It has Android and windows OS

nd motherboard for option,it is easy to install 2 display,MSR or VFD as modules by customers. This model is very convenient for maintenance by removing the back cover and it has rich I/O interfaces to be connected to more external devices

Features:

15.6 inch BOE brand new LCD screen

Multi-point projected capacitive touch panel

Removable bottom plate for smaller packaging and less shipping cost

The main screen supports large angle rotation to meet any observation angle

Border-less screen , the front protects against direct water splashes

Ultra-thin body makes the product more concise and stylish

Thick and stable aluminum base

Cable slots inside the base make the cable more tidy

Customer display, secondary screen and MSR installation position is reserved on the shell

Specification

Model	POS-1566-W
Name	15.6 inch Windows touch screen POS terminal
Main screen	15.6 inch touch screen monitor
Resolution	1366*768, 1920*1080 for option
Brightness	2 250cd/m
View angle	Horizon: 160; Vertical :150
Touch screen	Multi-point projected G+G capacitive touch
Sub-display	11.6inch display W or W/o touch function, resolution 1366*768
Customer display	2*20 VFD mounted to back cover for option
Performance	
Motherboard	th Intel Core I5 4 CPU,other CPU need to be customized
System Memory	2*SO-DIMM DDR3L 1333/1600MHz 4GB , up to 16GB
Storage device	Msata SSD 128GB or higher, up to 512GB
Audio	On board Real-tech chip
LAN	10//100/1000Mbs, 1*Realtek RTL8111 LAN chip
	built in Mini PCI-E slot,support embedded WIFI module
Optional WIFI&BT	2.4G&5G WIFI ,BT 5.0 supported for option
Speaker	40hm/2w*1
Operating System	Support win10 /win11
Connectivity	
th External I/O port (I5 4)	power button*1
	12V DC in jack*1
	LAN:RJ-45*1
	2*USB3.0∏4*USB2.0
	COM(RS232) * 1
	1*HDMI
	Audio out*1∏1*Mic-in
Package	
Weight	Net 3.5kg(without power adaptor and power cord)
Package with foam	470*180*400mm/4.6kg
inside	
2 in1 box	485*365*405mm/10kg
Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80% No condensation
Storage humidity	10%~90% No condensation

Accessories
Power adapter
Power cable 100-240V/50-60HZ 1.5Amax AC power input ,DC12V/5A output adaptor Power cable plug compatible with USA /EU / UK etc and customized available

15.6-inch POS System

Model: POS-1566





Windows




Superior Visuals Precision at Your Fingertips

Brand new 15.6-inch BOE original screen, guaranteed materials







Modular Design Strong Customization Capability With MSR or MSR+NFC With secondary screen Silent Operation, Unwavering Stability Fanless design, silent and dustproof * Excluding i5-6gen and above



×