

17-inch Touch POS terminal

(M/N:POS-1728)

Features:

Intel Celeron J1900 Quad core 2.0 GHZ;

SSD 64GB (default) can optional Larger capacity;

17 flat Multi-point capacitive touch screen;

Card reader and VFD customer display for optional;

I/O Interface Panel is hidden.

Applications:

Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop

Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop

Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket

Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf

Parameter:

Model	POS-1728
Optional Color	Black or White
Optional Peripherals	VFD220E
Main Board	Intel Celeron Processor
CPU	Intel Celeron J1900 Quad core 2.0 GHZ Core i3/i5/i7 for option
Chipset	Intel NM70
Memory Support	DDRIII 1066/1333*1 4GB (default) 8GB/16GB RAM for option
Hard Driver	SSD 64 GB (default)
LCD panel Size	17 inch TFT LCD
Brightness	350cd/m ²
Resolution	1280*1024(max)
Touch Screen	Multi-point capacitive touch screen
View Angle	Horizon: 150; Vertical :140

I/O port	1* power button 12V DC in jack*1
	Serial*1 DB9 male
	Parallel:1*DB25 Parallel port
	VGA(15Pin D-sub)*1
	LAN:RJ-45*1
	USB(2.0)*4,USB(3.0)*2
	Audio out*1
	MIC IN*1
Operating temperature	0°C to 40°C
Storage temperature	-20°Cto 60°C
Compliance	FCC Class A/CE Mark/LVD/CCC
Operating System	Windows XP above, Embedded,WEPOS,Linux
Power adapter	110-240V/50-60HZ AC power, Input DC12/5A out put





POS-1728





POS-1728





POS-1728





POS-1728





POS-1728

