

15 Inch All-in-one Touch Screen POS Machine (M/N:POS-8618)

Features:

oem all-in-one pc,linux all-in-one pc,chassis all-in-one

- I Intel Celeron 1037U dual core 1.8GHZ
- I Hard DriverSSD32GB (default),SSD 64GB andHDD320G for optional
- I 5 wire resistive touch screen(default),Capacitivescreen for optional
- I Card reader and VFD customer display for optional
- I I/O Interface Panel is hidden

Applications:

oem all-in-one pc,linux all-in-one pc,chassis all-in-one

- I Catering: hotel,restaurant, fast-food restaurant, coffee shop, bakery and cake shop
- I Retailer: Business Street,boutique, department store, cosmetics shop and high-class barbershop
- I Recreation: sauna, spa,night club, theme park, casino and point of sales for lottery ticket
- I Commercial: informationmanagement terminals for parking lot, inn, aviation, subway, station and wharf

Pictureshow:

oem all-in-one pc,linux all-in-one pc,chassis all-in-one

×		×	
×		×	

Parameter:

oem all-in-one pc,linux all-in-one pc,chassis all-in-one

Model	POS8618
Optional Color	Black or White
Optional Peripherals	VFD220E
Main Board	Intel CeleronProcessor
CPU	Intel Celeron 1037U dual core 1.8GHZ
Chipset	Intel NM70
Memory Support	DDRIII 1066/1333*1 2GB (default)
Hard Driver	SSD32GB (default)
LCD panel Size	15 inch TFT LCD
Brightness	350cd/m2
Resolution	1024*768(max)
Touch Screen	5 wire resistive touch screen
View Angle	Horizon: 150; Vertical :140
I/O port	1* power button12V DC in jack*1
	PS2KB/MS*1
	Serial*1 DB9 male
	Parallel:1*DB25 Parallel port
	VGA(15Pin D-sub)*1
	LAN:RJ-45*1
	USB(2.0)*6
	Audio out*1
	MIC IN*1
Operating temperature	0°C to 40°C
Storage temperature	-20°Cto 60°C
Compliance	FCC Class A/CE Mark/LVD/CCC
Packing dimension/ Weight	410*310*410mm / 7.6 Kgs
Operating System	Windows XP above, Embedded,WEPOS,Linux
Power adapter	110-240V/50-60HZ AC power, Input DC12/5A out put

Product Details:

oem all-in-one pc,linux all-in-one pc,chassis all-in-one



Features



All-round show



Application Area



Parameter

Model	POS8618
Optional Color	Black or white
Optional Peripherals	VFD0308
Main Board	Intel Celeron Processor
CPU	Intel Celeron 1037U dual core 1.8GHz
Chipset	Intel HM77
Memory Support	DDR3 1066/1333*1 32GB (default)
Hard Drive	SSD 32GB (default)
LED panel Size	15 inch TFT LED
Brightness	300cd/m²
Resolution	1024*768 (max)
Touch Screen	5 wire resistive touch screen
View angle	Horizontal: 150°, Vertical: 140°
I/O port	1* power button 12V DC in jack*1
	PCI slot*1
	Serail*1 COM male
	Parallel 1*DB25 Parallel port
	USB 10P/10/100/1*1
	LAN RJ-45*1
	USB 2.0*6
	Audio in*1
	Audio out*1
	MIC IN*1
Operating temperature	0°C to 40°C
Storage temperature	-20°C to 60°C
Compliance	FCC Class A/CE 100V/UL/CCC
Packaging dimension/Weight	410*310*105mm / 7.8 KG
Operating System	Windows XP/Ubuntu Embedded/MEPOS Linux
Power adapter	110-240V/50-60HZ/AC power Input DC12.6A net port

Production Line





Monica Fu



OCOM Technologies Limited

Add: 4/F, Block10, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China

Tel: 0086.755.8605.3207 ext 801

Fax: 0086.755.8605.3207 ext 868

Web: www.ocominc.com

E-mail: sales01@ocominc.com, sales01@ocomtech.com.cn

Skype: ocomsales01; **MSN:** ocomsales01@hotmail.com

Ali TM: cn1001868228; **QQ:** 1483705401

Mobile/Wechat/Whatsapp: 0086.189 4871 3992



Reliable One-Stop Supplier for POS and Auto-ID Related Products