

15.1 Inch All-in-one Touch Screen POS Machine

(Model No.: POS-8829T)

Features:

Good-looking design is suitable for many POS fields

Low power-consumption solution guarantees its stable quality and safety

LED/LCD customer display optional

MSR optional

Wifi optional

Applications:

Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop

Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop

Recreation: sauna, spa, night club, theme park, casino and point of sale for lottery ticket

Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf

Specifications:

Model	POS-8829T
Optional Color	Black/ Wine red
Optional Peripherals	ISO Track1/2/3 Magnetic Stripe Reader; LCD Customer display; LED8, 10" dual screen, capacitive touch screen, WIFI
Main Board	Intel Chipset
CPU	J1900/i3/i5
Chipset	J1900
Memory Support	DDRIII 1066/1333*1 2GB/4G/8G
Hard Driver	SSD32GB/64GB/128GB/256GB
LCD panel Size	15 inch TFT LCD
Brightness	350cd/m ²
Resolution	1024*768(max)
Touch Screen	5 wire resistive touch screen
View Angle	Horizon: 150; Vertical: 140

I/O port	1* power button
	PS2 mouse*1; PS2 keyboard*1
	Serial*1 DB9 male
	HDMI*1
	VGA(15Pin D-sub)*1
	LAN: RJ-45*1 HDMI * 1
	USB(2.0) * 6
	Audio out*12*Internal Speaker(option), MIC IN*1
Operating temperature	0 to 40 degree centigrade
Storage temperature	-20 to 60 degree centigrade
Power Consumption	35W(max)
Compliance	FCC Class A/CE Mark/LVD/CCC
Packing dimension/ Weight	440*270*425mm / 8 KGS
Operating System	Windows XP Professional Embedded (WEPOS, Linux compatible)
Power adapter	110-240V/50-60HZ AC power Input, DC12/5A output





POS8829







POS8829





POS8829





POS8829



