

(POS-H15)Android Pos Terminal Pos Machine Touch Screen All in One Pos System with Cash Register

(M/N:POS-H156W/A-H151W/A)



OCOM H series pos integrated high speed thermal printer and scanner module inside,it is a kind of cost-effective machine for using, different frame colors make machine more beautiful, extended IO interface make a few more external devices connected, newly designed rear cover which can be easily removed without tools for faster installation and maintenance.

Features:

Intel Celeron series and intel core I3 I5 processor for option

Rockchip high speed RK3288 processor

EMMC 8GB/16GB/32GB for option

Hard Driver Msata SSD 64GB ,SSD 128GB an 256 GB for option

58mm and 80mm high speed thermal printer built in for option

Multi-point projected capacitive touch panel

Optional side MSR and VFD220 customer display mounted to back cover

Bar-code scanner inbuilt for option

True flat and water-proof/scratch-resistant sureface display

Specifications

Model		POS-H156	POS-H151
Name		15.6 inch all in one touch screen pos terminal	15.1 inch all in one touch screen pos terminal
Housing		plastic with metal combined	
Color		white machine body or black machine body match orange or blue frame colors	
Display			
Main screen		15.6 inch touch screen monitor	15.1 inch touch screen monitor
Resolution		1366*768	1024*768
Brightness		250cd/m ²	
View angle		Horizon: 150; Vertical :140	
Touch screen		Multi-point projected G+G capacitive touch	
Sub-display		15.6/14/11.6 inch display W/ or W/o touch function, resolution 1366*768 for optional	15.1 inch display W/ or W/o touch function, resolution 1024*768
Customer display		2*20 VFD mounted to back cover for option	
performance			
Windows J1900	Motherboard	Intel Celeron Bay Trail J1900 2.0GHz or intel core I3 / I5 4 th generation CPU for option	
	System Memory	1*SO-DIMM DDRIII slot, support1333*/1600 2GB/4GB/8GB for option	
	Storage device	Msata SSD 64GB or higer, up to 256GB	
	Audio	On board Real Tek ALC662 audio chip	
	LAN	10/100Mbs,Realtek RTL8111F Lan chip built in Mini PCI-E slot,support embedded WIFI module	
	Operating System	Windows7/8/10, Embedded,WEPOS,Linux	

Android RK3288	Motherboard	Rockchip series RK3288 ,quad core 1.8G, RK3399 for optional
	System Memory	On board DDRIII 2GB,4GB for option
	Storage device	On board 16GB EMMC,32GB for option
	Audio	On board Real Tek ALC5640 audio chip
	LAN	10/100Mbs,Realtek RTL8111F Lan chip
	WIFI&BT module	Support Wi-Fi 802.11b/g/n,BT3.0/BT4.0 support
	Operating System	Android 7.1
Connectivity		
Windows/Android(J1900&RK3288)		power button*1
		12V DC in jack*1
		LAN:RJ-45*1
		USB *6
		MIC in*1, Audio out*1
Windows(J1900)		COM(RS232) *1 or HDMI*1 for option
		VGA(15Pin D-sub)*1
		RJ11 for Cash drawer *1 for option
Android(RK3288)		COM(RS232) *1
		On board RJ11 for Cash drawer *1 ,RJ11 from printer port for cash drawer*1(optional)
		TF card slot*1
Options		
80mm thermal printer		direct thermal printing
		100mm/s printing speed
		79.5-/+ 0.5mm paper width and printable width 72mm
		with auto cutter function and thermal head life 50km
		LPT communication
58mm thermal printer		direct thermal printing
		85mm/s printing speed
		57.5-/+ 0.5mm paper width and printable width 48mm
		thermal head life 50km
		LPT communication
MSR		optional side MSR
Web camera		web camera mounted on top of the display for option
Scanner		support 1D&2D code-scanning for option

Speaker	4ohm/5w speakers inside for option
Package	package
Weight	net□5.6Kg , gross:7.7Kg for 15.6 with15.6 dual screen /no printer built in
Package with foam inside	340*450*480mm
2in1 carton	700*460*500mm /gross□17Kg
Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80%
Storage humidity	10%~90%
Accessories	
Power adapter	110-240V/50-60HZ AC powerinput ,DC12/5A output adaptor for W/o printer and W/ 58mm printer machine DC12V/7A out put adaptor only for W/ 80mm printer machine
Power cable	Power cable plug compatible with USA /EU / UK etc and customized available
CD driver	Motherboard driver and touch driver inside for option
Other	
Compliance	FCC Class A/CE Mark/LVD/CCC

More product pictures shown



No need tools to remove the back cover ,much conveniently for

upgrading RAM/SSD by and serviceability by customers



Side USB ports make machine more easily uploading and downloading



external IO ports



Package

