

15.6 or 15.1 Inch All In One Touch POS Terminal

(M/N:POS-H156W/A-H151W/A)

OCOM H series pos integrated high speed thermal printer and scanner module inside,it is a kind of cost-effective machine for using, different frame colors make machine more beautiful ,extended IO interface make a few more external devices connected, newly designed rear cover which can be easily removed without tools for faster installation and maintenance

Features:

- Intel Celeron series and intel core I3 I5 processor for option
- Rockchip high speed RK3288 processor
- EMMC 8GB/16GB/32GB for option
- Hard Driver Msata SSD 64GB ,SSD 128GB and 256 GB for option
- 58mm and 80mm high speed thermal printer built in for option
- Multi-point projected capacitive touch panel
- Optional side MSR and VFD220 customer display mounted to back cover
- Bar-code scanner inbuilt for option
- True flat and water-proof/scratch-resistant sureface display

Specification

Model	POS-H156	POS-H151
Name	15.6 inch all in one touch screen pos terminal	15.1 inch all in one touch screen pos terminal
Housing	plastic with metal combined	
Color	white machine body or black machine body match orange or blue frame colors	
Main screen	15.6 inch touch screen monitor	15.1 inch touch screen monitor
Resolution	1366*768	1024*768
Brightness	250cd/m ²	
View angle	Horizon: 150; Vertical :140	
Touch screen	Multi-point projected G+G capacitive touch	
Sub-display	15.6/14/11.6 inch display W/ or W/o touch function, resolution 1366*768 for optional	15.1 inch display W/ or W/o touch function, resolution 1024*768
Customer display	2*20 VFD mounted to back cover for option	
performance		
Windows J1900	Motherboard	Intel Celeron Bay Trail J1900 2.0GHz or intel core I3 / I5 4 th generation CPU for option
	System Memory	1*SO-DIMM DDRIII slot, support 1333*/1600 2GB/4GB/8GB for option
	Storage device	Msata SSD 64GB or higer, up to 256GB
	Audio	On board Real Tek ALC662 audio chip
	LAN	10/100Mbs,Realtek RTL8111F Lan chip built in Mini PCI-E slot,support embedded WIFI module
	Operating System	Windows 7/8/10, Embedded,WEPOS,Linux
Android RK3288	Motherboard	Rockchip series RK3288 ,quad core 1.8G, RK3399 for optional
	System Memory	On board DDRIII 2GB,4GB for option
	Storage device	On board 16GB EMMC,32GB for option
	LAN	RJ45 port support 10/100Mbs internet
	WIFI&BT module	Support Wi-Fi 802.11b/g/n,BT3.0/BT4.0 support
Operating System	Android 7.1,up to Android 8.1	
Connectivity		
Windows/Android(J1900&RK3288)	power button*1	
	12V DC in jack*1	
	LAN:RJ-45*1	
	USB *6	
	MIC in*1, Audio out*1	

Windows(J1900)	COM(RS232) *1 or HDMI*1 for option VGA(15Pin D-sub)*1 RJ11 for Cash drawer *1 for option
Android(RK3288)	COM(RS232) *1 On board RJ11 for Cash drawer *1 ,RJ11 from printer port for cash drawer*1(optional) TF card slot*1
Options	
80mm thermal printer	direct thermal printing 100mm/s printing speed 79.5-/+ 0.5mm paper width and printable width 72mm with auto cutter function and thermal head life 50km LPT communication
58mm thermal printer	direct thermal printing 85mm/s printing speed 57.5-/+ 0.5mm paper width and printable width 48mm thermal head life 50km LPT communication
MSR	optional side MSR
Web camera	web camera mounted on top of the display for option
Scanner	support 1D&2D code-scanning for option
Speaker	4ohm/5w speakers inside for option
Package	
Weight	net 5.6Kg , gross:7.7Kg for 15.6 with 15.6 dual screen /no printer built in
Package with foam inside	340*450*480mm
2in1 carton	700*460*500mm /gross 17Kg
Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80%
Storage humidity	10%~90%
Accessories	
Power adapter	110-240V/50-60HZ AC powerinput ,DC12/5A output adaptor for W/o printer and W/ 58mm printer machine DC12V/7A out put adaptor only for W/ 80mm printer machine
Power cable	Power cable plug compatible with USA /EU / UK etc and customized available
CD driver	Motherboard driver and touch driver inside for option
Other	
Compliance	FCC Class A/CE Mark/LVD/CCC















