## Android POS terminal with Thermal Printer (M/N:POS-M101-A)

## **Features:**

I Android 7.1 operating system;

I RK3288 Quad core 1.8GHz processor;

I 2G RAM and 8G eMMC or higher for optional;

I 10.1 Inch High-definition IPS screen;

I Standard 1280\*800 resolution;

I 80mm thermal printer built in;

I LCD display MSR,RFID,2D Barcode Scanner,Battery for options.

## **Application area**

I Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop

I Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop

I Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket

I Commercial: information management terminals for parking lot, inn, aviation, subway, station and whar

## **Specification**

Processor	RK3288 Quad core 1.8GHz
OS	Android 7.1
Memory	2G RAM+ 8G ROM can up to 4G RAM and 16/32GB eMMC
SD	Micro SD(Up to TF 32GB)
Display	10.1 High-definition IPS screen
Resolution	1280*800
Touch Screen	Ten-point capacitive touch screen
Printer	80mm thermal printer without auto cutter
Magnetic Card Reader	ISO7811 1/2/3 Tracks (Optional)
RFID Card Reader	ISO14443TypeA, (Optional)
Barcode Scanner	1D/2D barcode decoding (Optional)
Pole display	LCD display (Optional)
Bluetooth	BT4.0
Wi-Fi	802.11b/g/n
4G communication	Optional
USB	4*USB
RJ11	1*RJ11
LAN	1*RJ45 port,100/1000 SELF-ADAPTION
RS232	1*RS232 DB9 port and 1*RS232 RJ45 port
Power	DC12V,5A
Battery	6000mAh (Optional, Standard product does not contain a battery)
Working environment	Working temperature: -10 °C ~ 50 °C
	Storage temperature: -20 °C ~ 60 °C
	Relative humidity: 10%~90%



