

POS Printer 3 Inch Thermal Receipt Printer Support Printing Queuing Tichket Function

Features:

- 1.Compact design, fashionable appearance,easy to load paper
- 2.Supports multi 1D barcode and QR code printing
- 3.Support printer status monitoring function
- 4.Support printing queuing ticket function
- 5.Support different interface combination
- 6.Up to 300mm/s high speed,low noise printing
- 7.48 or 80mm adjustable paper separator for option
- 8.150KM long life printer head
- 9.Supporting wall mounting

Specification

Model		OCP-80S
Name		80mm desktop thermal printer with auto cutter
Color		Black
Optional interface		USB/USB+Lan/USB+BT/ USB+WiFi/URL+WiFi/URL+BT
Power supply		Input□AC 100V-240V,50-60Hz,Output□DC 24V/2.5A
Cash drawer		DC 24V/1A
Printer head lifespan		150KM
Cutter		Auto cutter
Sensors		Paper out, cover open, cutter jam,paper jam and black mark detection(Optional)
Accessories		Data cable,power adaptor,power cord,paper roller,CD>manual, Paper separator(optional)
OS supporting		Compatible with iOS/ Android/ Windows/Linux
Safety standards		CE ,FCC,Rohs etc
Printing capability		
Printing method		Direct thermal line
Resolution		203 DPI
Printing speed		200mm/s (U/UR) 260mm/s (UL/U+BT/ U+WIFI) 300mm/s (URL/ URL+BT/ URL+WIFI)
Print width		72mm
Graphics printing		Supports bitmap download and print (each bitmap size Max.20K)
Printing Command		Compatible with ESC/POS
Barcode and character		
Barcode		1D barcode: UPC-A/UPC-E/JAN13□EAN13□JAN8□EAN8□/CODE39/ITF/ CODABAR/CODE93/CODE128 2D barcode□QR CODE
Character size		ANK character, Font: A: 12*24dots, 1.5(W)*3.0(H) mm FontB:9*17dots ,1.1(W)*2.1(H)mm Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm
Japanese/Korea		support
User-defined language		PC437/Katakana/PC850/PC860/PC863/PC865/WestEurope/Greek/ Hebrew/EastEurope/Iran/WPC1252/PC866/PC852/PC858/IranII/ Latvian/Arabic/PT151,1251/PC737/WPC/1257/ThaiVietnam/ PC864/PC1001/(Latvian)/(PC1001)/(PT151,1251)/(WPC1257)/ (PC864)/(Vietnam)/(Thai)
Media		
Paper type		Thermal roll paper
Paper width		48mm/52mm/56mm/64mm/68mm/76mm/80mm (optional)
Paper Thickness		0.06~0.08mm
Paper roll diameter		80mm Max
Paper separator		support
Physical		
Dimension		180*142*136mm
Weight		1.65kg
Package box		228*215*165mm

8 in carton	475*445*358mm/15.65kg
Environment	
Working temperature& humidity	0 to 45 degrees centigrade, 10%~80% No condensation
Storage temperature& humidity	-20 to 60 degrees centigrade , 10%~90% No condensation

80MM Thermal Printer with Auto Cutter

OCPP-80S



Windows

LINUX



Android

IOS



Direct Thermal Printing

Without the printing ink and ribbon etc traditional consumables,
Low material cost. 48 or 80mm adjustable paper separator for option



Thermal Receipt Paper
Paper Width: 80mm
Roll Dia: Max. Ø 80mm



Supports multi 1D barcode and QR code printing

Support printer status monitoring function. Compatible with black mark paper and normal thermal paper, and has paper out, cover open, cutter jam, paper jam and black mark detection sensor.




Desktop + Wall Mounted

Support printer status monitoring and printing queuing ticket function



Easy Paper Loading

One button operation, abandon the traditional paper loading structure, and directly put the paper in, easy to operate



OEM/ODM


FAMOUS PARTNER BRANDS



[Click here](#)




Customized Your LOGO



Customized Your Packaging



Support Customer's Idea To Do The Design



High-performance Print Head

Regularly use a cloth soaked in alcohol to domaintenance to extend the lifespan of printing head life

Print Speed: 200-300mm/s

Printing Head Life: 150KM

