#### POS-Q9 Pro Touch Screen Android Handheld POS Terminal with Printer

#### POS-Q9Pro

#### **Features:**

**GPS/AGPS** supported

58mm\*40mm thermal paper

5MP auto focus camera with LED flash

Support TMS sever management

CCD scanner for optinal

NFC function for optional

#### **Specification**

| Maralal  | DOC OOD  |  |  |  |
|--|--|--|--|--|
| Model  | POS-Q9Pro  |  |  |  |
| Name   | 5.0 inch handheld pos terminal   |  |  |  |
| Battery  | 8.4V, 2550mAh Lithium ion polymer Battery  |  |  |  |
| Power adapter  | Input: AC: 100-240V, Output: 5V,2A   |  |  |  |
| Interface  | Type C*1, data cabel ,USB-Type C, 0.8m exposed   |  |  |  |
| Antenna  | 2G/3G/4G+WIFI & Bluetooth+GPS  |  |  |  |
| Key  | Power On/off, volume up (can be customized as scan), volume down   |  |  |  |
| Card slot  | 1*SIM slot,Provide with multi band, multi signal   |  |  |  |
| Duration   | Stand by 250+ hours working hour 16+ (Display on and wireless connected)   |  |  |  |
| Fall prevention  | 1.0 anti-fall laboratory Standard  |  |  |  |
| Operating system   | Android 11   |  |  |  |
|  |  |  |  |  |
| Main screen  | 5.0inch HD IPS touch screen monitor  |  |  |  |
| Resolution   | 1280*720   |  |  |  |
| Touch screen   | Multi-point projected G+FF capacitive touch  |  |  |  |
| Performance  |  |  |  |  |
| CPU  | Spreadtrum A55 ,8-Core ,1. 6Ghz  |  |  |  |
| Memory   | 2GB RAM+16GB ROM,3G+32G∏optional ∏   |  |  |  |
| Communication mode   | GSM, WCDMA, TDD LTE, FDD LTE   |  |  |  |
|  | OSM, WODM, IDD EIE, IDD EIE  |  |  |  |
|  | WIFI: 2.4G, support IEEE 802.11a/b/g/n   |  |  |  |
| GPS/A-GPS  |  |  |  |  |
| GPS/A-GPS<br>Printer   | WIFI: 2.4G, support IEEE 802.11a/b/g/n   |  |  |  |
|  | WIFI: 2.4G, support IEEE 802.11a/b/g/n Build in GPS, support A-GPS 58mm, Paper Roll 40mm,75mm/s, print duration≥50km   |  |  |  |
| Printer  | WIFI: 2.4G, support IEEE 802.11a/b/g/n Build in GPS, support A-GPS 58mm, Paper Roll 40mm,75mm/s, print duration≥50km Print barcode and QR code, online life detection, and etc.  |  |  |  |
| Printer  Camera  | WIFI: 2.4G, support IEEE 802.11a/b/g/n Build in GPS, support A-GPS 58mm, Paper Roll 40mm,75mm/s, print duration≥50km Print barcode and QR code, online life detection, and etc. 5M piexl rear camera□supprot 1D & 2D scan & payment  |  |  |  |
| Printer  Camera  Scanner   | WIFI: 2.4G, support IEEE 802.11a/b/g/n  Build in GPS, support A-GPS  58mm, Paper Roll 40mm,75mm/s, print duration≥50km  Print barcode and QR code, online life detection, and etc.  5M piexI rear camera□supprot 1D & 2D scan & payment  CCD scanner for optional  |  |  |  |
| Printer  Camera Scanner NFC  | WIFI: 2.4G, support IEEE 802.11a/b/g/n  Build in GPS, support A-GPS  58mm, Paper Roll 40mm,75mm/s, print duration≥50km  Print barcode and QR code, online life detection, and etc.  5M piexl rear camera□supprot 1D & 2D scan & payment  CCD scanner for optional  ISO/ICE14443, Type A&B, Mifare Card (Optional□  |  |  |  |
| Printer  Camera Scanner NFC Speaker                                | WIFI: 2.4G, support IEEE 802.11a/b/g/n  Build in GPS, support A-GPS  58mm, Paper Roll 40mm,75mm/s, print duration≥50km  Print barcode and QR code, online life detection, and etc.  5M piexl rear camera□supprot 1D & 2D scan & payment  CCD scanner for optional  ISO/ICE14443, Type A&B, Mifare Card (Optional□  |  |  |  |
| Printer  Camera Scanner NFC Speaker Package                        | WIFI: 2.4G, support IEEE 802.11a/b/g/n  Build in GPS, support A-GPS  58mm, Paper Roll 40mm,75mm/s, print duration≥50km  Print barcode and QR code, online life detection, and etc.  5M piexI rear camera□supprot 1D & 2D scan & payment  CCD scanner for optional  ISO/ICE14443, Type A&B, Mifare Card (Optional□  8 W, ≥ 95dB, audio interface, mono, high volume design  |  |  |  |
| Printer  Camera Scanner NFC Speaker Package Weight                 | WIFI: 2.4G, support IEEE 802.11a/b/g/n  Build in GPS, support A-GPS  58mm, Paper Roll 40mm,75mm/s, print duration≥50km  Print barcode and QR code, online life detection, and etc.  5M piexl rear camera[supprot 1D & 2D scan & payment  CCD scanner for optional  ISO/ICE14443, Type A&B, Mifare Card (Optional[)  8 W, ≥ 95dB, audio interface, mono, high volume design  Net:0.31kg Gross:0.56kg              |  |  |  |
| Printer  Camera Scanner NFC Speaker Package Weight Single box size | WIFI: 2.4G, support IEEE 802.11a/b/g/n  Build in GPS, support A-GPS  58mm, Paper Roll 40mm,75mm/s, print duration≥50km Print barcode and QR code, online life detection, and etc.  5M piexl rear camera[supprot 1D & 2D scan & payment  CCD scanner for optional  ISO/ICE14443, Type A&B, Mifare Card (Optional[  8 W, ≥ 95dB, audio interface, mono, high volume design  Net :0.31kg Gross :0.56kg  208*91*65mm |  |  |  |

| Storage temperature | -10 to 60 degrees centigrade |
|---------------------|------------------------------|
| Working humidity    | 10%~80%                      |
| Storage humidity    | 10%~90%                      |

### **Handheld POS Terminal**

POS-Q9 Pro



#### **CORE-CONFIG**



58mm Thermal Printer



Large Volume Speaker



5.0-inch HD IPS Screen



Large Capacity Battery



Big Paper Warehouse



5 Megapixels Camera



2G/3G/4G/Wifi/Bluetooth



NFC



Ultra-thin Fuselage

### **Details Show**



The bare weight is only 304g. The thickness of the machine is only 19.6mm, excellent grip feeling, one-hand operation is not tired, higher work efficiency.





### **High Speed Thermal Printer**

Seiko high-speed printer, better performance of receipt printing

75mm/s

58mm

Ф40mm

50km

**Printing Speed** 

Print Width

Paper Roll

**TPH Life** 






## **Strong Performance**



# **Near Field Communication**



## **Lithium-ion Battery**

7.7V, 2600mAh Lithium ion polymer battery Quick charging and long use time



# **Packing Size**



## **Waterproof and Shock-Resistant**



360 overall protection

Shock-resistant and have longer life



Shock-resistant designs

Edge covered to resistant dropping and cushion the impact force



# **Application**



Bar



Mile Tea Store



Convenience Store



Restaurant





Library



Coffee Store



Bakery



Supermarket

### **FACTORY STRENGTH**







