

POS-Q9PRO New Touch Screen 5Inch Android Mobile Support TMS Sever Management POS Terminal

(M/N:POS-Q9Pro)

## Features:

1. GPS/AGPS supported
2. 58mm\*40mm thermal paper
3. 5MP auto focus camera with LED flash
4. Support TMS sever management
5. CCD scanner for optinal
6. NFC function for optional

## Specification

Model	POS-Q9Pro
Name	5.0 inch handheld pos terminal
Battery	8.4V, 2550mAh Lithium ion polymer Battery
Power adapter	Input: AC: 100-240V, Output: 5V,2A
Interface	Type C*1, data cabel ,USB-Type C, 0.8m exposed
Antenna	2G/3G/4G+WIFI & Bluetooth+GPS
Key	Power On/off, volume up (can be customized as scan), volume down
Card slot	1*SIM slot,Provide with multi band, multi signal
Duration	Stand by 250+ hours working hour 16+ (Display on and wireless connected)
Fall prevention	1.0 anti-fall laboratory Standard
Operating system	Android 11
<b>Display</b>	
Main screen	5.0inch HD IPS touch screen monitor
Resolution	1280*720
Touch screen	Multi-point projected G+FF capacitive touch
<b>Performance</b>	
CPU	SC9863A cortex- A55 ,8-Core ,1. 6Ghz
Memory	2GB RAM+16GB ROM,3G+32G optional
Communication mode	GSM, WCDMA, TDD_LTE, FDD_LTE WIFI: 2.4G, support IEEE 802.11a/b/g/n
GPS/A-GPS	Build in GPS, support A-GPS
Printer	58mm, Paper Roll 40mm,75mm/s, print duration≥50km Print barcode and QR code, online life detection, and etc.
Camera	5M piexl rear camera support 1D & 2D scan & payment
Scanner	CCD scanner for optional
NFC	ISO/ICE14443, Type A&B, Mifare Card (Optional)
Speaker	8 W, ≥ 95dB, audio interface, mono, high volume design
<b>Package</b>	
Weight	Net :0.31kg Gross :0.56kg
Single box size	208*91*65mm
10 in 1 carton	340*215*200mm/6.2kg
<b>Environment</b>	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80%
Storage humidity	10%~90%

























