Product Description

Features:

Android 7.0 operation system. Adopts MT8735V quad-core 64bit ARM Cortex A53 1.3 GHz, 5.0 inch capacitive, multi touch; support e-signature,720*1280, TFT display 1gb Ram & 8gb flash; 4.35V 4000mAh Large Li-polymer battery,support 10 hours working hours normally 2M Camera,support 1d & 2d barcode reading,58mm Printer Wifi 2.4G, bluetooth V4.1+HS compliant,2G/3G/4G,GPS Support magnetic stripe card, IC card, contactless card, Rugged 1.2m Drop Tolerance PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,

Security certificate, Network accessing , PBOC L1, PBOC L2, QPBOC L1, QPBOC L2,

QUICS, UPTS2.0 small payment

Applications:

Chain supermarkets, restaurants, convenience stores, clothing store, premises, bakery, cashier, pay, enters sells saves the business management function.

Specification:

Basic Information Operating system Android 7.0 RAM RAM:1GB Extended stored FLASH:8GB Display screen 5.0 inch Touch screen Capacitive touch screen, support the e-signature Battery Lithium battery 4000 mah, 4.35 V Bluetooth Bluetooth V4.1+HS compliant Camera 2.0 mega-pixel camera Positioning function GPS Printer S8mm thermal printer 30mm diameter Paper roll Interface Micro USB Drop Rugged 1.2m Drop Tolerance POS Function Full track magnetic card reader Support ISO7810/7811/7812 protocol IC card reader Full track magnetic card reader Support ISO7816 protocol Non-contact card reader Support ISO7IE 0 PAYPASS specification PSAM Card Bank security payment chip card Certification PCI.EMY LL2,EMY CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security		
RAM RAM:IGB Extended stored FLASH:8GB Display screen 5.0 inch Touch screen Capacitive touch screen, support the e-signature Battery Lithium battery 4000 mah, 4.35 V Bluetooth Bluetooth V4.1+HS compliant Camera 2.0 mega-pixel camera Positioning function GPS Printer 58mm thermal printer 30mm diameter Paper roll Interface Micro USB Drop Rugged 1.2m Drop Tolerance POS Function Full track magnetic card reader Support IS07810/7811/7812 protocol IC card reader Non-contact card reader Support ISO7816 protocol Non-contact card reader Support ISO/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Basic Information	
Extended storedFLASH:8GBDisplay screen5.0 inchTouch screenCapacitive touch screen, support the e-signatureBatteryLithium battery 4000 mah, 4.35 VBluetoothBluetooth V4.1+HS compliantCamera2.0 mega-pixel cameraPositioning functionGPSPrinter58mm thermal printer 30mm diameter Paper rollInterfaceMicro USBDropRugged 1.2m Drop TolerancePOS FunctionFull track magnetic card reader Support IS07810/7811/7812 protocolIC card read-writeSupport ISO7816 protocolNon-contact card readerSupport ISO/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specificationPSAM CardBank security payment chip cardCertificationPCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Operating system	Android 7.0
Display screen5.0 inchTouch screenCapacitive touch screen, support the e-signatureBatteryLithium battery 4000 mah, 4.35 VBluetoothBluetooth V4.1+HS compliantCamera2.0 mega-pixel cameraPositioning functionGPSPrinter58mm thermal printer 30mm diameter Paper rollInterfaceMicro USBDropRugged 1.2m Drop TolerancePOS FunctionFull track magnetic card reader Support IS07810/7811/7812 protocolIC card read-writeSupport IS07816 protocolNon-contact card readerSupport IS0/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specificationPSAM CardBank security payment chip cardCertificationPCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	RAM	RAM:1GB
Touch screenCapacitive touch screen, support the e-signatureBatteryLithium battery 4000 mah, 4.35 VBluetoothBluetooth V4.1+HS compliantCamera2.0 mega-pixel cameraPositioning functionGPSPrinter58mm thermal printer 30mm diameter Paper rollInterfaceMicro USBDropRugged 1.2m Drop TolerancePOS FunctionFull track magnetic card reader Support ISO7810/7811/7812 protocolIC card readerSupport ISO7816 protocolNon-contact card readerSupport ISO7816 protocolNon-contact card readerSupport ISO/REC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specificationPSAM CardBank security payment chip cardCertificationPCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Extended stored	FLASH:8GB
Battery Lithium battery 4000 mah, 4.35 V Bluetooth Bluetooth V4.1+HS compliant Camera 2.0 mega-pixel camera Positioning function GPS Printer 58mm thermal printer 30mm diameter Paper roll Interface Micro USB Drop Rugged 1.2m Drop Tolerance POS Function Full track magnetic card reader Support IS07810/7811/7812 protocol It card reader IC card reader Support IS07816 protocol Non-contact card reader Support IS0/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Display screen	5.0 inch
Bluetooth Bluetooth V4.1+HS compliant Camera 2.0 mega-pixel camera Positioning function GPS Printer 58mm thermal printer 30mm diameter Paper roll Interface Micro USB Drop Rugged 1.2m Drop Tolerance POS Function Full track magnetic card reader Support ISO7810/7811/7812 protocol Support ISO7810/7811/7812 protocol IC card read-write Support ISO7816 protocol Non-contact card reader Support ISO/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Touch screen	Capacitive touch screen, support the e-signature
Camera 2.0 mega-pixel camera Positioning function GPS Printer 58mm thermal printer 30mm diameter Paper roll Interface Micro USB Drop Rugged 1.2m Drop Tolerance POS Function Full track magnetic card reader Support IS07810/7811/7812 protocol IC card read-write Support IS07816 protocol Support IS07816 protocol Non-contact card reader Support IS0/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Battery	Lithium battery 4000 mah, 4.35 V
Positioning function GPS Printer 58mm thermal printer 30mm diameter Paper roll Interface Micro USB Drop Rugged 1.2m Drop Tolerance POS Function Magnetic card reader Magnetic card reader Full track magnetic card reader Support ISO7810/7811/7812 protocol Support ISO7816 protocol Non-contact card reader Support ISO/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Bluetooth	Bluetooth V4.1+HS compliant
Printer 58mm thermal printer 30mm diameter Paper roll Interface Micro USB Drop Rugged 1.2m Drop Tolerance POS Function Magnetic card reader Magnetic card reader Full track magnetic card reader Support IS07810/7811/7812 protocol IC card read-write Support IS07816 protocol Support IS07816 protocol Non-contact card reader Support ISO/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Camera	2.0 mega-pixel camera
Interface Micro USB Drop Rugged 1.2m Drop Tolerance POS Function Magnetic card reader Magnetic card reader Full track magnetic card reader Support IS07810/7811/7812 protocol Support IS07816 protocol IC card read-write Support IS07816 protocol Non-contact card reader Support IS0/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Positioning function	GPS
Drop Rugged 1.2m Drop Tolerance POS Function Magnetic card reader Magnetic card reader Full track magnetic card reader Support IS07810/7811/7812 protocol IC card read-write Support IS07816 protocol Non-contact card reader Support ISO/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Printer	58mm thermal printer 30mm diameter Paper roll
POS Function Magnetic card reader Full track magnetic card reader Support IS07810/7811/7812 protocol IC card read-write Support IS07816 protocol Non-contact card reader Support IS0/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Interface	Micro USB
Magnetic card reader Full track magnetic card reader Support IS07810/7811/7812 protocol IC card read-write Support IS07816 protocol Non-contact card reader Support ISO/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Drop	Rugged 1.2m Drop Tolerance
Support IS07810/7811/7812 protocol IC card read-write Support IS07816 protocol Non-contact card reader Support ISO/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	POS Function	
Non-contact card reader Support ISO/IEC 14443 Type A&B, Mifare, NFC in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Magnetic card reader	
in line with the EMV/PBOC PAYPASS specification PSAM Card Bank security payment chip card Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	IC card read-write	Support ISO7816 protocol
Certification PCI,EMV L1,EMV L2,EMV CL L1,ROHS,PayPass,PayWave,telecom accessing/CCC,Security	Non-contact card reader	in line with the EMV/PBOC PAYPASS
	PSAM Card	Bank security payment chip card
payment	Certification	certificate, Network accessing , PBOC L1, PBOC L2, QPBOC L1, QPBOC L2, QUICS, UPTS2.0 small
Network Parameters	Network Parameters	

<u></u>	
Network Type	FDD-LTE,TDD-LTE,UMTS/HSDPA/HSPA/HSPA+,CDMA EV-DO Rev.A,GSM/EDGE/GPRS
Network Spectrum	FDD-LTE (B3,B8)
	TDD-LTE (B38,B39,B40,B41)
	UMTS/HSDPA/HSPA/HSPA+ (850,900,1900,2100 MHz)
	CDMA EV-DO Rev.A (800MHz)
	GSM/EDGE/GPRS (900,1800,1900MHz)
WLAN	IEEE802.11.b/n/g
Physical Parameters	
Size	193mm×80mm×54.5mm
Weight	425g (include battery)
Operating Temp	-10°C ~ 55°C
Storage Temp	-20°C ~ 70°C
Humidity	20%~93%(40° RH non-condensing
Package	1pc: 20*16.5*6.5cm/0.75kgs 20pcs: 42.5*35*27cm/12.9kgs

Picture Show















T1















Company

















Certificates



Payment



Contact us



FAQ

1. MOQ policy

No MOQ limitation for the standard products, but the unit price is different, bigger quantity better price.

For customized production, you can discuss the MOQ with our sales representative directly.

2. Sample Availability & Policy

After customers confirmed the specification, we are very glad to provide samples for testing and qualification.

All samples should be paid before shippment, the samples price is a higher than mass order. When the mass order placed, we can return you the samples cost, or send you more piece products with the shippments.

You can buy the samples from us directly using t/t, western union, or paypal. And you can also buy it on our online store.

3. Warranty

OCOM is dedicated to providing most cost-effective products and services with reliable quality that will meet customers'satisfication;

We was qualified by global fortune 500 company, and we have the top 1 level trade assurance which 100% protect your money and lead time.

Our warranty of the products is about 12+1 months from the shipment normally, some designated models can have as long as 24 months warranty;

Any product within 30 days of delivery failure occurs shall be deemed invalid delivery (DOA). DOA products will give priority to the replacement, and shipped by courier.?

For mass order, we would like to supply some spare parts with shipment for local quickly repair. And after that, you can returned failure parts for rework and analysis.

4. Payment Terms

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About samples order, T/T, Western Union, Escrow, Paypal are acceptable. Currently, you can pay using Moneybookers, Visa, MasterCard and bank transfer. You can also pay with select debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

5. Shipment

We accept all kinds of shipping ways including: express, air, sea, truck, or pick up by customers personally.

6. Customer

Our main customers from Eruopean, Australia, and the fast growing South America, Africa, Russia...,

We have servered more than 2200 customers from 159 countries, including the global fortune 500 company like Unilever, O2.....50 of them are the biggest distributor in the local teritories.

Why You Choose OCOM?

Leading One-Stop POS and Auto-ID Related Products Supplier Qualified by Global Fortune 500 Companies
Tier 1 customers including Unilever, O2, Star...
2300+ Customers Cover 159 Countries;
11 Years OEM/ODM Experience.
Top 1 Level Trade Assurance in POS industrial quarantee quality and shipment date
Fast respondes and professional service
ISO, FCC, CE , Soncap, POA, BIS, and other Certificates
12+1 months wanrranty.
Shortlisted in "China Best Employer Award"
Belief: Integrity Based, Strive for Excellence, Win-win Cooperation

Company Information

OCOM Technologies Ltd. is the main supplier and manufacturer of POS and Auto-ID related products with TUV verified.

OCOM's products portfolio covers Thermal Printer, Barcode Printer, Dot Matrix Printer, Barcode Scanner, POS Terminal, Magnetic Card Reader, Date terminal, and other POS Peripherals products(Cash Drawer,Customer Display,POS Monitor, POS keyboard,Money counter,Electronical Scale,Thermal Paper), which are widely used for retailing, restaurant, bank, lottery, transportation, logistic, and other applications.? We have CE, FCC and other required certifications.??

OCOM's mission is to be the compelling choice for our partners, and our three basic belief are "Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.

Together we quest for the best.