Handheld Wifi POS Terminal with Thermal Label and Receipt Printer

(M/N: POS-T2-Lite)

Features:



Working with WIFI;

Standard 2GB RAM+32G ROM;

Built-in large volume speaker;

Built-in NFC Module (optional);

Support USB type-C fast charging;

Removable 6400mAh large capacity pure cobalt battery.

Technical Spec:

Model	POS-T2-Lite
Name	5.5 inch capacitive touch screen, support the electonic signature
Battery	3.8 V /6400mAh
Power Adapter	Input[]100-240V, 50/60Hz,1.5A Output[]5V DC /2A
Charger interface	USB type C
Display	
Main screen	5.5 inch HD touch screen dispaly
Resolution	720*1280 IPS
Performance	
СРИ	RK3326,Quad-core,1.5GHz
RAM	2GB
Flash	32GB Flash
Operating System	Android 11.0
Button	Power button, Scan Button for 2D scanner, Volume button
Bluetooth	Bluetooth 4.2
WIFI	WIFI 802.11 b.g.n,support 2.4G
Printer	58mm Thermal Receipt and label Printer
Paper Roll	Width: 58mm; Diameter: ≤40mm
Scanner	5 Mega-pixel Camera decoding, 2D Scanner (Option)
NFC	Support ISO/IEC 14443A&B, Mifare, felica card (Option)
Speaker	Digital Audio speaker
MDM	Support
Peripheral Accessories	package
Accessories	USB Type C*1
	Charging adapter*1
	user manual*1
Environment	
Operating temperature	0 to 40 degrees centigrade
· · · · · · · · · · · · · · · · · · ·	

Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80%
Storage humidity	10%~90%













Relevant documents:

POS-T2 SDK