14:30

Specification

Model	POS-T6
Name	6.5 inch capacitive touch screen, support the electronic signature
Battery	3.8 V /6400mAh
Power Adapter	Input：100-240V, 50/60Hz,1.5A Output：5V DC /2A
Charger interface	USB type C
Display	
Main screen	6.5 inch HD touch screen display
Resolution	720*1600 IPS
Performance	

CPU	octa-core,T606, Cortex-A75andCortex-A55 ,up to 2.0GHz processor
RAM	3GB
Flash	32GB Flash
Communication	2G/3G/4G
Operating System	Android 14 with GMS certification supported
Button	Power button, Scan Button,Volume button
Bluetooth	Bluetooth 5.0
WIFI	WIFI 802.11 b.g.n.ac support 2.4G&5G
Printer	80mm Thermal Receipt and label Printer
Paper Roll	Width: 80mm; Diameter: ≤50mm
Scanner	5 Mega-pixel Camera decoding, 2D Scanner(Optional,2D and finger printer only one can be installed)
NFC	Support ISO/IEC 14443A&B, Mifare, felica card
SIM slot	Sim*2 (default) or Sim*1+Sam*1 for option
Speaker	Digital Audio speaker
GPS or AGPS	Support GPS+AGPS
MDM	Support
Peripheral Accessories	
Accessories	USB type C cable*1
	Charging adapter*1
	user manual*1,paper roller*1
Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80%
Storage humidity	10%~90%
Working humidity	10%~80%
Storage humidity	10%~90%

18+ YEARS
OEM/ODM EXPERIENCES

4000+
CUSTOMERS OVER 165 COUNTRIES

15,000,000+
UNITS OF ACCUMULATED SALES

CERTIFICATES
BY ISO/CE/FCC/ROHS/BIS...

CERTIFICATE

ISO CE FC RoHS

OUR COMPANY

Assembly Lines

Aging Test

Warehouse

Strong R & D

Professional Sales