

- 1.Compact design, fashionable appearance,easy to load paper
- 2.Supports multi 1D barcode and QR code printing
- 3.Support different interface combination
- 4.Up to 230mm/s high speed,low noise printing
- 5.58 or 80mm adjustable paper separator for option
- 6.100KM long life printer head

Specification

Model	OCP-P-812	
Name	80mm desktop thermal printer with auto cutter	
Color	Black	
Optional interface	USB/USB+LAN/USB+BT/USB+WIFI	
Power supply	Input:AC 100V-240V,50-60Hz,Output:DC 24V/1.25A	
Printer head lifespan	100KM	
Cutter	Auto cutter with 1 million time	
Sensors	Print head temperature detection, paper presence detection, open cover detection, paper jam detection	
Accessories	Data cable,power adaptor,power cord,paper roller, Paper separator(optional)	
OS supporting	Compatible with IOS/ Android/ Windows/Linux	
Printing method	Direct thermal line	
Resolution	203 DPI	
Printing speed	USB:160mm/s , U+L 200mm/s , U+BT/U+WIFI 230mm/s	
Print width	72mm	
Input buffer	128kbytes	
NV Flash	256kbytes	
Graphics printing	Supports bitmap download and print (each bitmap size Max.20K)	
Printing Command	Compatible with ESC/POS	
Barcode	UPC-A/UPC-E/JAN13/JAN8/EAN8/CODE39/ITF/CODABAR/CODE93/CODE128 2D barcode/QR CODE	
Character size	ANK character, Font A: 2*24dots, 1.5(W)*3.0(H) mm Font B: 9*17dots,1.1(W)*2.1(H)mm Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm	
Japanese/Korea	Optional	Support (optional)
User-defined language	Support (optional)	
Media		
Paper type	Thermal roll paper	
Paper width	58/80mm (optional)	
Paper separator	58mm/80mm(optional)	
Paper Thickness	0.06~0.08mm	
Paper roll diameter	80mm Max	
Physical		
Dimension	173*128*131mm	
Weight	0.85kg	
Package box	250*140*145mm/1.3kg	
12 in 1 carton	540*300*485mm/15.6kg	
Environment		
Working temperature& humidity	0 to 45 degrees centigrade, 10%~80% No condensation	
Storage temperature& humidity	-20 to 60 degrees centigrade , 10%~90% No condensation	











