

5.5 "Android POS handheld terminal with 58mm thermal printer

(M / N: POS -Z91-Q)

Introduction

Z91 Android airtime POS with printer machine, android 5.1 operating system, 5.5 inch screen touch, super long standby battery capacity is 2800mAh, thermal paper printing,

5 million pixels camera, 2 g / 3 g / 4g /wi-fi, bluetooth communication, this fine workmanship and top quality machine is the best choice in the market.

Features

Android 5.1 operating system

1G RAM and 8G Flash

5.5 inch capacitive touch screen

Built-in high speed thermal printer

Compatible with multiple 4G frequency bands

2g /3g/4g, wi-fi, bluetooth communication

Built-in 5 Mega-pixel camera

Support NFC Contactless Card Reader

Long standby battery capacity is 2800mAh

Fingerprint function optional

Technical Specification

Operating system	Android 5.1
RAM	RAM□1GB FLASH□8GB
Extended stored	Micro SD card interface
Display screen	5.5 inch screen touch
Touch screen	Capacitive touch screen, support the electronic signature

Resolution display	1280*720
Printer	58mm paper width. 40mm diameter. Built-in high speed thermal printer
Paper of Printer	Width: 58mm Length of the paper role: 40mm
SAM Slot	2 Pcs
SIM Slot	1 Pcs
NFC Contactless Card Reader	Support ISO/IEC 14443 Type A&B, Mifare, felica card, in line with the EMV/PBOC PAYPASS Specification. (Options)
USB interface	A Micro USB OTG, compatible with USB2.0 HS standards, a Mini USB serial port
Communication	4G , 3 G and 2 G network Wi-fi communications, support hot spots Bluetooth communication
GPS	Support GPS and AGPS
Camera	5 Mega-pixel camera
Bar-code reader	Support 1 d / 2 d scanning
SIM card bands	2G: GSM850/900/1800/1900, BC0800MHZ 3G: WCDMA2100/1900/900/850 TDSCDMA :B34/B39 4G : FDD-LTE:B1/B2/B3/B4/B5/B7/B8/B20 TD-LTE:B38/B39/B40/B41
Multimedia	Support for recording, voice broadcast Support video playback/recording
Password keyboard	Built-in password keyboard (virtual) Support DES, 3 DES, RSA, SHA - 256 and AES algorithm
Battery	Lithium battery: 2800 mAh, 7.4V
power adapter	Input: 110 v to 240 v AC / 50 ~ 60 hz Output: 5 v DC / 2 A General Micro USB interface
Size	191mm×80mm×46mm
Optional accessories	Write a stylus Base, optional standard base (charging function only)



Inside Picture



POS-Z91





POS-Z91





POS-Z91





POS-Z91





POS-Z91





POS-Z91



Relevant documents:

POS-Z91 SDK