

15 Inch All-In-One Touch POS Terminal

(Model No.: POS8829T)

Features:

- Good-looking design is suitable for many POS field
- Low power-consumption solution guarantees its stable quality and safety
- LED/LCD customer display optional
- MSR optional
- Wifi optional

Applications:

- Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop
- Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop
- Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket
- Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf

Specifications:

Model	POS8829T
Optional Color	Black/ Wine red
Optional Peripherals	ISO Track1/2/3 Magnetic Stripe Reader; LCD Customer display; LED8; WIFI
Main Board	Intel Chipset
CPU	Celeron J1900 Quad core 2.0 GHZ
Memory Support	DDRIII 1066/1333*1 2GB(up to 4GB)
Hard Disk	SSD32GB
LCD panel Size	15 inch TFT LCD
Vice screen□Optional□	12inch,1024*768
Brightness	350cd/m ²
Resolution	1024*768(max)
Touch Screen	5 wire resistive touch screen
View Angle	Horizon: 150; Vertical: 140
I/O port	1* power button
	Serial*2 DB9 male
	VGA(15Pin D-sub)*1
	LAN: RJ-45*1
	USB(2.0) * 6
	Audio out*12*Internal Speaker(option), MIC IN*1
Operating temperature	0 to 40 degree centigrade
Storage temperature	-20 to 60 degree centigrade

Power Consumption	35W(max)
Compliance	FCC Class A/CE Mark/LVD/CCC
Packing dimension/ Weight	440*270*425mm / 8 KGS
Operating System	Windows XP Professional Embedded (WEPOS, Linux compatible)
Power adapter	110-240V/50-60HZ AC power Input, DC12/5A output

Power adaptor for option:









POS8829





POS8829

