

## Portable Wireless Auto Sense Hand Held Laser Barcode Scanner (Model:OCBS-LA06)

### Specification:

| Performance Characteristics |  |
|-----------------------------|--|
| Light Source:               | Visible laser (650-670nm)  |
| Scan Rate:                  | 100 scans per second   |
| Reading Distance            | 2.5 ~600mm (100% UPC/EAN)  |
| Scanner Type:               | Bi-directional   |
| Resolution:                 | 0.10mm (4mil) at PCS 0.9   |
| Print Contrast Minimum:     | 20%, minimum reflective difference (@650nm)  |
| Decode Capability:          | UPC/EAN, UPC/EAN with supplementals, UCC/EAN128, code 39, code 39 full ASCII, code 39 trioptic, code 128, code 128 full ASCII, codabar, interleaved 2 of 5, discrete 2 of 5, code 93, MSI, code 11, ATA, RSS variants, Chinese 2 of 5... |
| Physical Characteristics    |  |
| Interfaces Supported:       | PS2, RS232, USB  |
| Voltage:                    | DC+5V+/-5%   |
| Current:                    | 100 mA   |
| Idle Current:               | <40 mA   |
| Power Source:               | Host power or external (RS232) power supply  |
| Scanning Angle              | Inclination 45° Elevation 60°  |
| Dimensions:                 | L165.42mm X W69.72mm X H89.67mm  |
| Weight:                     | 140g (without stand)   |
| Stand                       | With   |
| Color:                      | Ivory and black  |
| User Environment            |  |
| Operating Temperature:      | 0degree C~50degree C   |
| Storage Temperature:        | -40degree C~ 70degree C  |
| Humidity:                   | 5~95% relative humidity, non-condensing  |
| Electrostatic Discharge:    | Confirm to +/-15KV air discharge and +/-8KV of contact discharge   |
| Drop Specifications:        | Withstands multiple 1.5m drops to concrete   |
| Safe:                       |  |
| EMI/RFI:                    | FCC Class A and CE   |
| Laser Safety:               | CDRH class 2 laser product   |

### Product Details:



## *Handheld Laser Barcode Scanner*

**OCBS-LA06**



**Product Picture**





## Features

***Simple but not easy***

Auto-Induction built in, green design



High scan rate and long reading



distance



Excellent decode capability



KBW, RS232 and USB supported

Durable construction combined with  
future-proofing



## III All-round show





## Parameter

| Performance Characteristics |  |
|-----------------------------|--|
| Light Source:               | Visible laser (650-670nm)  |
| Scan Rate:                  | 100 scans per second   |
| Reading Distance            | 2.5 ~600mm (100% UPC/EAN)  |
| Scanner Type:               | Bi-directional   |
| Resolution:                 | 0.10mm (4mil) at PCS 0.9   |
| Print Contrast Minimum:     | 20%, minimum reflective difference (@650nm)  |
| Decode Capability:          | UPC/EAN, UPC/EAN with supplementals, UCC/EAN128, code 39, code 39 full ASCII, code 39 trioptic, code 128, code 128 full ASCII, codabar, interleaved 2 of 5, discrete 2 of 5, code 93, MSI, code 11, ATA, RSS variants, Chinese 2 of 5... |
| Physical Characteristics    |  |

|                          |  |
|--------------------------|--|
| Interfaces Supported:    | PS2, RS232, USB  |
| Voltage:                 | DC+5V+/-5%   |
| Current:                 | 100 mA   |
| Idle Current:            | <40 mA   |
| Power Source:            | Host power or external (RS232) power supply                      |
| Scanning Angle           | Inclination 45° Elevation 60°                                    |
| Dimensions:              | L165.42mm X W69.72mm X H89.67mm                                  |
| Weight:                  | 140g (without stand)   |
| Stand                    | With   |
| Color:                   | Ivory and black  |
| <b>User Environment</b>  |  |
| Operating Temperature:   | 0°C~50°C   |
| Storage Temperature:     | -40°C~70°C   |
| Humidity:                | 5~95% relative humidity, non-condensing                          |
| Electrostatic Discharge: | Confirm to +/-15KV air discharge and +/-8KV of contact discharge |
| Drop Specifications:     | Withstands multiple 1.5m drops to concrete                       |
| Safe:                    |  |
| EMI/RFI:                 | FCC Class A and CE   |
| Laser Safety:            | CDRH class 2 laser product                                       |

## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C



## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com), Together we quest for the best.





### **1. MOQ policy**

No MOQ limitation for the standard products, but the unit price is different, bigger quantity better price.

For customized production, you can discuss the MOQ with our sales representative directly.

### **2. Sample Availability & Policy**

After customers confirmed the specification, we are very glad to provide samples for testing and qualification.

All samples should be paid before shipment, the samples price is a higher than mass order. When the mass order placed, we can return you the samples cost, or send you more piece products with the shipments.

You can buy the samples from us directly using t/t, western union, or paypal. And you can also buy it on our online store.

### **3. Warranty**

OCOM is dedicated to providing most cost-effective products and services with reliable quality that will meet customers'satisfaction;

We was qualified by global fortune 500 company, and we have the top 1 level trade assurance which 100% protect your money and lead time.

Our warranty of the products is about 12+1 months from the shipment normally, some designated models can have as long as 24 months warranty;

Any product within 30 days of delivery failure occurs shall be deemed invalid delivery (DOA). DOA products will give priority to the replacement, and shipped by courier.

For mass order, we would like to supply some spare parts with shipment for local quickly repair. And after that, you can returned failure parts for rework and analysis.

### **4. Payment Terms**

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About samples order, T/T, Western Union, Escrow,Paypal are acceptable.Currently,you can pay using Moneybookers, Visa, MasterCard and bank transfer. You can also pay with select debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

### **5. Shipment**

We accept all kinds of shipping ways including: express, air, sea, truck, or pick up by customers personally.

### **6. Customer**

Our main customers from Eruopean, Australia, and the fast growing South America, Africa, Russia...,

We have servered more than 2300 customers from 159 countries, including the global fortune 500 company like Unilever, O2.....50 of them are the biggest distributor in the local teritories.

### **Why You Choose OCOM?**

- Leading One-Stop POS and Auto-ID Related Products Supplier Qualified by Global Fortune 500 Companies
- Tier 1 customers including Unilever, O2, Star...
- 2300+ Customers Cover 159 Countries;
- 11 Years OEM/ODM Experience.
- Top 1 Level Trade Assurance in POS industrial quarantee quality and shipment date

- Fast responses and professional service
- ISO, FCC, CE , Soncap, POA, BIS, and other Certificates
- 12+1 months warranty.
- Shortlisted in "China Best Employer Award"
- Belief: Integrity Based, Strive for Excellence, Win-win Cooperation