

Pos System USB 58mm Thermal Printer With Auto Cutter

(Model No.: OCPP-C582)

Feature:

120 mm/s high printing speed

Auto cut paper more efficient and convenient

Big gear and big motor make the printer more durable

Standard USB port

LAN, Parallel,USB+BT,USB+WIFI port for optional

Support multi-language code pages

Support nv logo printing

Can drive cash drawer

Compatible with ESC/POS

Printer head life: 50KM

Cutter life:0.6 million times

Specification:

Printing Method	Direct thermal
Print Density	384dots/line (203DPI)
Character Size	384dots/line, ANK character, Font: A: 12*24dots, 1.5(W)*3.0(H)mm Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm
Barcode Type	JAN13(EAN13) JAN8(EAN8) CODE39/CODE128/CODABAR/ITF
Printing Command	Compatible with EPSON ESC/POS
Printing Speed	120mm/sec
Paper Width	57.5±0.5mm
Paper Diameter	60mm
Paper Thickness	0.06-0.08mm
MCBF(life)	50km
Cutter life	600,000 times

NV Flash	64kb
Input buffer	32kb
Dimension	169.9*120*119.9mm
Gross Weight	1.2KG
Cutter	Auto cutter
Sensor	Paper End Sensor, Cover open sensor
Interface	USB Standard, Parallel,LAN,USB+Bluetooth,USB+wifi for optional If you need to choose optional interfaces the MOQ =180 set
Driver	Win 9X, Win 2000, Win 2003, Win XP, Win Vista, Win 7 win8 win10 compatible with ESPON
Adapter Voltage Input	AC 110V/220V, 50-60Hz
Adapter Voltage Output	DC12V/2.6A
Cash Drawer Control	DC12V/1A
Working Temperature	0-45degree C, Humidity: 10-80%
Saving Temperature	-10-60degree C, Humidity: 10-90%
Certificate	CE/FCC/CCC/RoHS



OCPP-C582





OCPP-C582







OCPP-C582





OCPP-C582





OCPP-C582

