

Intel Celeron series and Intel core I3 I5 processor for option
 Hard Driver Msata SSD 64GB ,SSD 128GB and 256 GB for option
 Multi-point projected capacitive touch panel
 3-track MSR to the side and VFD220 customer display mounted to back cover
 True flat and water-proof scratch-resistant surface display

Specification

Model	POS-1513
Name	15.1 inch aluminium alloy touch POS terminal
Housing	Aluminium alloy machine body and base
Color	Whole black color machine
Main screen	15.1 inch touch screen monitor
Resolution	1024*768
Brightness	250cd/m ²
View angle	Horizon: 160; Vertical :150
Touch screen	Multi-point projected G+G capacitive touch
Sub-display	9.7 inch display W/o touch function for option
Customer display	2*20 VFD display mounted to back cover for option
Performance	
Motherboard	Intel Celeron J4125,2.0GHz or Intel core I3 / I5 4 th CPU for option
System Memory	1*SO-DIMM DDR4 slot, support2400mHZ, 4GB /8GB for option
Storage device	Msata SSD 64GB or higher, up to 256GB
Audio	On board Real Tek ALC662 (SPEC depend on different CPU)
LAN	10/100/1000Mbs,Realtek RTL8111F Lan chip built in Mini PCI-E slot,support embedded WIFI module
MSR	3-track MSR for option
Operating System	Support Windows10/11
Connectivity	
External I/O port J4125	Power button*1
	12V DC in jack*1
	LAN:RJ-45*1
	USB*4
	15PIN D-sub VGA *1
	HDMI*1 or RS 232*1 for option
	line out*1,MIC in*1
Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80% No condensation
Storage humidity	10%~90% No condensation
Package	
Weight	Net 4.6kg, Gross 6.0kg
Package with foam inside	425*275*410mm
Accessories	

Power adapter	110-240V/50-60HZ AC power input ,DC12V/5A output adaptor
Power cable	Power cable plug compatible with USA /EU / UK etc and customized available

















