

15 Inches Touch Screen LCD POS Monitor

(Model No: TM-1501)

Features:



Multifunctional setting key;

5 or 4 wire touch panel for option;

Grade A LCD panel with LED backlight;

High resolution 1024*768@60HZ;

Suitable for all kinds of high-intensity working environment.

Specification:

| | |
|----------|---|
| Model | TM-1501 |
| Name | 15.1 inch touch screen display |
| Color | Whole black color machine usually |
| Material | Metal base with plastic body |
| VESA | 75*75mm for wall mounting(need extra wall mounting bracket) |

| | |
|---------------------------|---|
| OSD Language | Support 8kinds of international languages |
| Display | |
| Display area | 304.128(H)* 228.096(V) |
| Pixel pitch | 0.297*0.297 |
| Aspect ratio | 4:3 |
| Resoluiton | 1024*768 |
| Brightness | 250cd/m2 |
| Contrast | 700:1 |
| Display color | 16.2M |
| View angle | Horizon: 135; Vertical :140 |
| Response time | 8ms |
| Touch function | |
| Touch screen | 5-wire resistive touch panel,4-wiretouch screen for option |
| Structure | ITO Film and ITO Glass FIT |
| surface treatment | Fog surface, anti-glare |
| Responding speed | <8ms |
| Surface hardness | Pencil hardness:3H |
| Total light transmittance | 72% above |
| Touch life | >35000000 times |
| Connectivity | |
| Rear I/O | 12V DC in jack*1 |
| | USB *1 for touch function |
| | 15PIN D-sub VGA *1 |
| | HDMI*1 for option |
| | Audio in*1 for option (built in speaker for option) |
| Side key function | Auto, Menu,Up,Down,Power Swicth |
| Environment | |
| Operating temperature | 0 to 40 degrees centigrade |
| Storage temperature | -10 to 60 degrees centigrade |
| Working humidity | 10%~80% No condensation |
| Storage humidity | 10%~90% No condensation |
| Package | |
| Package with foam inside | 430*180*385mm/6.5kg |
| 4 in 1 carton | 630*440*390mm/21kg |
| Accessories | |
| Power adapter | 110-240V/50-60HZ AC power input ,DC12V/2.6A output adaptor |
| Cable | Power cord compatible with USA /EU / UK etc and customized available,USB cable for touch,VGA cable(HDMI cable for option) |
| Touch related | Touch pen,driver disk |
| Other | |
| Certification | CE,ROHS,CCC,FCC |









Application



Bar



Restaurant



Coffee Store



Mile Tea Store



Bakery



Convenience Store



Library



Supermarket

FACTORY STRENGTH



