

# 15-inch Touch Screen LCD Display

## (Model No: TM-1502)

Features:



Multifunctional setting key;

5 or 4 wire touch panel for option;

Grade A LCD panel with LED backlight;

High resolution 1024\*768@60HZ;

Suitable for all kinds of high-intensity working environment.

Specification:

Model	TM-1502
Name	15.1 inch touch screen display
Color	Whole black color machine usually
Material	Foldablebase with plastic body
VESA	75*75mm for wall mounting(need extra wall mounting bracket)
OSD Language	Support 8kinds of international languages
Display	
Display area	304.128(H)* 228.096(V)
Pixel pitch	0.297*0.297
Aspect ratio	4:3
Resoluiton	1024*768
Brightness	250cd/m2
Contrast	700:1
Display color	16.2M
View angle	Horizon: 135; Vertical :140
Response time	8ms
Touch function	
Touch screen	5-wire resistive touch panel,4-wiretouch screen for option
Structure	ITO Film and ITO Glass FIT
surface treatment	Fog surface, anti-glare
Responding speed	<8ms
Surface hardness	Pencil hardness:3H
Total light transmittance	72% above
Touch life	>35000000 times
Connectivity	
Rear I/O	12V DC in jack*1
	USB *1 for touch function
	15PIN D-sub VGA *1
	HDMI*1 for option
	Audio in*1 for option (built in speaker for option)
Side key function	Auto, Menu,Up,Down,Power Swicth
Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80% No condensation
Storage humidity	10%~90% No condensation
Package	
Package with foam inside	430*180*385mm/6.5kg
4 in 1 carton	630*440*390mm/21kg
Accessories	
Power adapter	110-240V/50-60HZ AC power input ,DC12V/2.6A output adaptor
Cable	Power cord compatible with USA /EU / UK etc and customized available,USB cable for touch,VGA cable(HDMI cable for option)
Touch related	Touch pen,driver disk
Other	
Certification	CE,ROHS,CCC,FCC



TM1502





TM1502





TM1502







TM1502





**Relevant documents:**

Do you want to know more product information? Please [Click here](#).

[Specification](#)