# Wired USB 1d Laser Barcode Scanner/ Reader with Automatic Scan (Model: OCBS-L009)

## **Specification:**

| Performance Characteristics |   |
|-----------------------------|---|
| Light Source:               | 650nm visible   |
| Scan Rate:                  | 200 scans per second  |
| CPU                         | 32 bit  |
| Reading Distance            | 2.5 ~600mm (100% UPC/EAN)   |
| Width of Scan               | 50mm@60mm, 220mm@200mm  |
| Scanner Type:               | Bi-directional  |
| Operation mode              | triggered   |
| Resolution:                 | 3mil high resolution series / 5mil long depth field series                |
| Print Contrast Minimum:     | 30%, minimum reflective difference  |
| Decode Capability:          | UPC/EAN, UPC/EAN with Supplemental, UCC/EAN 128, Code 39, Code 39         |
|                             | Full ASCII, Trioptic Code 39, Code 128, Code 128 Full ASCII, Coda bar,    |
|                             | Interleaved 2 of 5, Discrete 2 of 5, Code 93, MSI, Code 11, RSS variants, |
|                             | Chinese 2 of 5 MSI/Plessey UK/Plessey UCC/EAN 128 Chinese code GS1        |
|                             | Data Bar[RSS[series   |
| Scanning Angle              | $\pm$ 65°(tilt); $\pm$ 60°(pitch); $\pm$ 42°(yaw)                         |
| Physical Characteristics    |   |
| Interfaces Supported:       | PS2, RS232, USB   |
| Voltage:                    | 5V DC±5%  |
| Current:                    | 85 mA (Operating); 100 (Max)  |
| Indicator                   | Beeper, LED   |
| Material                    | ABS+PC  |
| Stand                       | Optional  |
| Dimensions:                 | 156*68*83 mm (L*W*H)  |
| Weight:                     | 235g  |
| Color:                      | Grey and black  |
| User Environment            |   |
| Operating Temperature:      | 0 Degree C~45 Degree C  |
| Storage Temperature:        | -40 Degree C~60 Degree C  |
| Humidity:                   | 5%-90% (non-condensing)   |
| Electrostatic Discharge:    | Conforms to +/-15KV air discharge and +/-8KV of contact discharge         |
| Ambient Illumination        | 0 ~ 100,000 LUX   |
| Drop Specifications:        | Withstands multiple 1.5m drops to concrete surface                        |
| Laser classification        | EN60825-1∏class 1   |
|                             |   |







FAQ

### 1. MOQ policy

No MOQ limitation for the standard products, but the unit price is different, bigger quantity better price.

For customized production, you can discuss the MOQ with our sales representative directly.

### 2. Sample Availability & Policy

After customers confirmed the specification, we are very glad to provide samples for testing and qualification.

All samples should be paid before shippment, the samples price is a higher than mass order. When the mass order placed, we can return you the samples cost, or send you more piece products with the shippments.

You can buy the samples from us directly using t/t, western union, or paypal. And you can also buy it on our online store.

### 3. Warranty

OCOM is dedicated to providing most cost-effective products and services with reliable quality that will meet customers'satisfication;

We was qualified by global fortune 500 company, and we have the top 1 level trade assurance which 100% protect your money and lead time.

Our warranty of the products is about 12+1 months from the shipment normally, some designated models can have as long as 24 months warranty;

Any product within 30 days of delivery failure occurs shall be deemed invalid delivery (DOA). DOA products will give priority to the replacement, and shipped by courier.

For mass order, we would like to supply some spare parts with shipment for local quickly repair. And after that, you can returned failure parts for rework and analysis.

#### 4. Payment Terms

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About samples order, T/T, Western Union, Escrow, Paypal are acceptable. Currently, you can pay using Moneybookers, Visa, MasterCard and bank transfer. You can also pay with select debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

#### 5. Shipment

We accept all kinds of shipping ways including: express, air, sea, truck, or pick up by customers personally.

#### 6. Customer

Our main customers from Eruopean, Australia, and the fast growing South America, Africa, Russia...,

We have servered more than 2300 customers from 159 countries, including the global fortune 500 company like Unilever, O2.....50 of them are the biggest distributor in the local teritories.