android mini 80mm bluetooth thermal printer with auto cutter (Model No.: OCPP-M087)

5	Product	t Descrip	otion
	FIUUUU		

Features:

Support Windows, Java, Android or IOS Povide SDK for Andriod and IOS,driver for Windows PC Bluetooth,USB and RS232 communication 2000mAh high capacity battary Higher print speed 80mm/sec 50km TPH Life A variety of 1D and 2D code supported Built-in buzzer more easily for user get the printer status

Specification:

Printing			
Printing method	Direct thermal		
Print width	72mm		
Column capacity	8dots/mm, 576dots/line		
Printing speed	80mm/s		
Interface	Bluetooth[]USB[]Serial		
Printing paper	79.5±0.5mm×φ40mm		
Line spacing	3.75mm (Adjustable by commands)		
Column number	58mm paper: Font A - 32 columns/Font B - 42 columns/ Chinese,traditional Chinese - 16 columns		
Character size	ANK[]Font A[]1.5×3.0mm[]12×24 dots[] Font B[]1.1×2.1mm[]9×17 dots[] Chinese,traditional Chinese:3.0×3.0mm[]24×24 dots[]		
Barcode Char	acter		
Extension character sheet	PC347[]Standard Europe[][Katakana]PC850[]Multilingual]]PC860[]Portuguese[][PC863[]Canadian- French]][PC865[]Nordic]][West Europe[]Greek[]Hebrew[]East Europe[]Iran[]WPC1252[]PC866[]Cyrillic#2[]]PC852]Latin2[][PC858[]Iranll[]Latvian[]Arabic[]PT151[]1251[]		
Barcode types	UPC-A/UPC-E/JAN13[]EAN13[]/JAN8[]EAN8[]/CODE39/ITF/CODABAR/CODE93/CODE128/QR/PDF417		
Buffer			
Input buffer	32k bytes		
NV Flash	64k bytes		
Power			
Power supply	Input[]AC 110V/240V, 50[]60Hz		
Power source	Output[]DC 9V-2A		
Physical char	acteristics		
Weight	0.19KG		
Dimensions	111×88×41mm(D x W x H)		

Work		
environment	Temperature (0[]45) humidity(10[]90%)	
Storage	Temperature(-10[60°C) humidity(10[]90%)	
environment		
Reliability		
Printer head life	50KM	
Picture Show		















FAQ

1. MOQ policy

No MOQ limitation for the standard products, but the unit price is different, bigger quantity better price.

For customized production, you can discuss the MOQ with our sales representative directly.

2. Sample Availability & Policy

After customers confirmed the specification, we are very glad to provide samples for testing and qualification.

All samples should be paid before shippment, the samples price is a higher than mass order. When the mass order placed, we can return you the samples cost, or send you more piece products with the shippments.

You can buy the samples from us directly using t/t, western uion, or paypal. And you can also buy it on our online store at aliexpress:http://www.aliexpress.com/store/403448?tracelog=minisite_CI.

3. Warranty

OCOM is dedicated to providing most cost-effective products and services with reliable quality that will

meet customers'satisfication;

We was qualified by global fortune 500 company, and we have the top 1 level trade assurance which 100% protect your money and lead time.

Our warranty of the products is about 12+1 months from the shipment normally, some designated models can have as long as 24 months warranty;

Any product within 30 days of delivery failure occurs shall be deemed invalid delivery (DOA). DOA products will give priority to the replacement, and shipped by courier.

For mass order, we would like to supply some spare parts with shipment for local quickly repair. And after that, you can returned failure parts for rework and analysis.

4. Payment Terms

For mass order, you can pay us by using T/T, LC, Western Union, Escrow or others. About samples order, T/T, Western Union, Escrow, Paypal are acceptable.Escrow Service is powered by Alipay.com. Currently, you can pay using Moneybookers, Visa, MasterCard and bank transfer. You can also pay with select debit cards including Maestro, Solo, Carte Bleue, PostePay, CartaSi, 4B and Euro6000.

5. Shipment

We accept all kinds of shipping ways including: express, air, sea, truck, or pick up by customers personally.

6. Customer

Our main customers from Eruopean, Australia, and the fast growing South America, Africa, Russia...,

We have servered more than 1300 customers from 133 countries, including the global fortune 500 company like Unilever, 02.....50 of them are the biggest distributor in the local teritories.