

## smart android mobile gprs handheld lottery pos terminal (POS-M680)

### Keywords:

pos terminal,  
android pos terminal ,  
lottery pos terminal

### Brief Introduction

POS-M680 is a high-end multi-media POS, developed on the Android system. And it's configured with 7 inch touch screen, magnetic, IC and RFID card reader, thermal printer, barcode scanner. It is able to match diversified needs ranging from financial self-attendance, membership management, identification recognition and etc. And widely used in restaurant, banking, hotel, shopping mall, lottery and etc.

### Features:

- >Android 4.0 operation system
- >7 Inch High-definition color screen□1024\*600 solution□
- >3\*SAM card slot,ISO7816 standard
- >Abundant device Interface can access sacnner keypad cash drawer

### Application area

- >Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop
- >Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop
- l Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket
- >Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf

### Specification

#### Processor

Corte-A8, 1.0GHz

#### OS

Android 4.0

#### Memory

512M RAM+4G ROM

#### SD

Micro SD□Up to TF 32GB)

#### Display

7 INCH High-definition color screen□1024\*600 solution□

#### Touch Screen

Multipoint capacitive touch screen

#### Printer

High speed Thermal Printer. Paper Width: 57MM,Diameter: 42MM

#### Magnetic Card Reader

ISO7811 1/2/3 Tracks, Support Dual-swiping

#### IC Card Reader

ISO7816 standard

#### RFID Card Reader

ISO14443TypeA, TypeB and ISO15693

#### Camera

3 Mega-pixel With autofocus

#### Fingerprint Scanner

Live, biometric fingerprint sensor/reader, capacitive touch screen, 508 DPI , <1s,

#### Barcode Scanner

1D/2D barcode decoding by camera or Scan Engine

#### Communication

GSM:850/900/1800/1900,WCDMA□B1/B2/B5,CDMA: BC0  
Wi-Fi  
802.11b/g/n WLAN,Support hotspot  
Voice  
Support Audio Jack or hands-free calls, recording, Voice  
Speaker  
2\*speakers  
PSAM Card Slot  
3\*SAM card slot,ISO7816 standard  
SIM Card Slot  
1\*SIM card slot  
Battery  
Chargeable battery,1000mAh,7.4V  
USB  
2\*USB2.0, 1\*mini USB supports OTG features  
LAN  
1\*RJ45 port  
HDMI  
1\*HDMI port  
LINE  
2\*RJ11 ports  
RS232  
1\*RS232  
Power  
DC 9V/3A  
Working environment  
Working temperature: -20 °C ~ 60 °C  
Storage temperature: -30 °C ~ 70 °C  
Relative humidity: 10%□90%  
Size  
240(L) X 220(W) X 80mm(H)  
Weight  
1.2 KG  
Package size  
350(L)\*260(W)\*150(H)mm  
Package weight  
2.5 KG



**POS-M680**



[www.ocominc.com](http://www.ocominc.com)



