

# 14 me inch robot touch Ton terminAl

(men and women:

## feature:

- l. 14 inch high brightness LCD screen
- m. Multi-point projected capacitive touch panel
- n. Removable base plate for smaller packaging and lower shipping costs
- o. Home screen support large angle Rotate to meet any viewing angle
- p. Bezel-less screen with protection from direct splashes on the front
- q. Ultra-thin body makes the product more concise and stylish
- r. Sturdy aluminum base
- s. The cable slot in the base makes the cable more tidy

## Specification

Model	- 1401
Name	14 inch touch Ton terminal
housing	Plastic case and metal Bath e, black or white optional
the main screen	14 inch touch screen monitor
Resolution	1366*768
brightness	20 0cd/m <sup>2</sup>
view One angle	horizon: 6 0 ;vertical : 8 0
touch s Screen	More Expect GG capacitive touch
<b>Performance</b>	
motherboard	Rockchip RK3288 series, quad-core 1.8G ,RK3566 optional
system memory	Onboard DDR I II 2GB
storage device	Onboard 16GB Emm C
local area network	RJ45 port support 10/100Mbs the Internet
WIFI&BT module	support Wi-Fi 802.11b/g , BT4.0 support
MSR	Optional side MSR
Customer display	Five FD220 or LCD 220 optional
operating system	An android 8.1 or Android 11 to choose from
<b>connectivity</b>	
	12V DC input jack*1 , phosphorus Down button *1
	LAN: RJ-45*1 ,HDMI*1, Audio output*1 ,USB*4
	SIM card slot*1, TF card slot*1 online upgrade and expansion storage
<b>Package</b>	
weight	network 3.6 Kilogram Total 4.5 Kilogram
p Packaging with foam inside	420*205*430 mm
<b>surroundings</b>	
Operating temperature	0 to 40 Celsius
Storage temperature	- 10 to 60 Celsius

Working humidity	10%~80% no condensation
Storage humidity	10%~90% no condensation
<b>Accessories</b>	
Power Adapter	110-240V/50-60HZ AC power supply i enter , DC12 V / 5 A output adapter
power cable	The power cord plug is compatible with US/EU/UK, etc., can be customized

















