

## 15 polegadas All-In-One Touch Screen máquina POS (Modelo: POS8820)

### Especificação:

|                   |                                       |   |
|-------------------|---------------------------------------|---|
| Exibição          | Exibição Área (mm)                    | 304 milímetros (H) X228mm (V)   |
|                   | Ponto Medula (mm)                     | 0,294 milímetros X 0,294 milímetros   |
|                   | Resolução                             | 1024x768  |
|                   | Brilho                                | 350cd / metro quadrado; Depois Instalação de tela de toque, LCD Painel Luminance é 325cd / metro quadrado |
|                   | Contraste                             | 500:01:00   |
|                   | Resposta tempo                        | 15ms  |
|                   | Exame Ângulo                          | 150 ° (H) 135 ° (V)   |
|                   | Poder Fornecimento                    | MINI Fonte de Alimentação ATX (ATX 180W)  |
|                   | Toque Tela                            | 5 fios Toque resistiva (made-in-Taiwan)   |
|                   | Segundo Tela                          | 12" e 15" Monitor LCD para a opção  |
|                   | CPU:                                  | Intel ATOM D425 1.8GHz, D525 para a opção   |
| Principal Máquina | Memória:                              | DDR3 2GB,   |
|                   | Chipset:                              | Intel NM10  |
|                   | SSD                                   | 32GB  |
|                   | I / O:                                | 6x USB, 2xPS / 2, 1x RS232, 1xParallel, 1x LAN  |
|                   | Operação Sistema                      | Apoio Windows 2000 / XP / Vista ou posterior, Mac OS X Ou mais tarde, Linux                               |
| Certificado:      | CE, FCC                               |   |
| Acessórios        | 1x Unidade de CD instalado            |   |
|                   | 1X driver para tela sensível ao toque |   |
|                   | 1X Stylus                             |   |
|                   | 1X pano de limpeza                    |   |

### Aplicações:

- Campo: hotel, restaurante, lanchonete, café, padaria e pastelaria;
- Varejista: Business Street, boutique, loja de departamento, loja de cosméticos e de alta classe barbearia;
- Recreação: sauna, spa, boate, parque temático, casino e ponto de vendas de bilhete de loteria;
- Terminais de gerenciamento de informações para estacionamento, pousada, aviação, metrô, estação e cais;: Commercial

### Detalhes do produto:



15 Inches All-In-One  
Touch Screen POS Machine  
POS8820



Product Picture

www.ocom.com





## Features

### *Simple but not easy*

15 Inches All-In-One Touch  
Screen POS Terminal;





Water-proof 5-wire Resistive Touch;  
Low power-consumption solution  
guarantees its stable quality and safety;



Dual Core for option;  
12" or 15" for option;  
Second LCD display for option;





Display is easily take off from main machine;  
Elegant appearance is suitable for many  
POS field;



POS peripherals products optional:  
Thermal printer, Barcode scanner,  
Magnetic card reader/writer  
Cash drawer etc.



## ||| All-round show





## Application Area

Catering: hotel, restaurant, fast-food restaurant, coffee shop,



bakery and cake shop

Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop

Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket

Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf



## Parameter

|         |                  |   |
|---------|------------------|---|
| Display | Display Area(mm) | 304mm(H)X228mm(V)   |
|         | Dot Pith(mm)     | 0.294mm X 0.294mm   |
|         | Resolution       | 1024x768  |
|         | Brightness       | 350cd/ square meter; After Installation of Touch screen ,LCD Panel Luminance is 325cd/ square meter |
|         | Contrast         | 500:01:00   |
|         | Color            | 16.7M   |
|         | Response time    | 15ms  |
|         | Viewing Angle    | 150°(H) 135°(V)   |
|         | Power Supply     | MINI ATX Power Supply (ATX 180W)  |
|         | Touch Screen     | 5-wire Resistive Touch ( made-in-Taiwan )   |
|         | Second Screen    | 12" & 15" LCD monitor for option  |
|         | CPU:             | Intel ATOM D425 1.8GHz, D525 for option   |

|              |                            |  |
|--------------|----------------------------|--|
| Main Machine | Memory:                    | DDR3 2GB,  |
|              | Chipset:                   | Intel Nm10   |
|              | HDD:                       | 2.5" 160G  |
|              | I/O:                       | 6x USB, 2xPS/2, 1x RS232, 1xParallel, 1x LAN                         |
|              | Operation System           | Support Windows 2000 / XP / Vista Or Later, Mac OS X Or Later, Linux |
|              | Certificate:               | CE, FCC  |
| Accessories  | Power cable                |  |
|              | 1x Drive installed CD      |  |
|              | 1X driver for touch screen |  |
|              | 1X Stylus                  |  |
|              | 1X cleaning cloth          |  |

## Production Line







## Capacity

| Verified | Product Name                    | Production Line Capacity | Actual Units Produced(Previous Year) |
|----------|---------------------------------|--------------------------|--------------------------------------|
| ✓        | Thermal Printer                 | 40,000 Sets / Month      | 250,000 Sets                         |
| ✓        | Dot Matrix Printer              | 15,000 Sets / Month      | 10,000 Sets                          |
| ✓        | Bluetooth Printer               | 30,000 Sets / Month      | 20,000 Sets                          |
| ✓        | Barcode Scanner                 | 40,000 Sets / Month      | 20,000 Sets                          |
| ✓        | POS Machine                     | 5,000 Sets / Month       | 10,000 Sets                          |
| ✓        | Magnetic Card Reader and Writer | 45,000 Sets / Month      | 50,000 Sets                          |

✓ Indicates information has been verified onsite by TUV on 2013.7.15

## Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.



We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

## Test Equipments

| Verified | Machine Name             | Brand & Model No. | Quantity |
|----------|--------------------------|-------------------|----------|
| ✓        | Ageing Tester            | No Information    | 6        |
| ✓        | Withstand Voltage Tester | CC2670A           | 1        |
| ✓        | Oscilloscope             | TBS1102           | 1        |
| ✓        | DC Power Supply          | PS-305DM          | 6        |
| ✓        | Digital Torque Meter     | HP100             | 1        |
| ✓        | Calliper                 | GUANGLU           | 2        |
| ✓        | Multi-meter              | VC890D            | 7        |
| ✓        | Test Computer            | No Information    | 13       |

✓ Indicates information has been verified onsite by TUV on 2013.7.15

## Certifications



## Packing and Shipment



## Payment



## Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication

with each other.



## Why you choose us?





## Company Profile

This Assessed Supplier Has Been  
**Independently Verified**

Build Your Growth On Trust



**TÜVRheinland®**  
Precisely Right.



OCOM Technologies Limited, founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal, and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Europe, Australia, Asia, and other area.

OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years.

experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.



## Contact us

**Any queries, please contact us immediately, big surprise is waiting for you.**

**Sales Center:**

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District, Shenzhen 518054, China;

Websites: <http://www.possolution.com.cn> ; <http://www.ocominc.com> ;

E-mail: [ocom@ocominc.com](mailto:ocom@ocominc.com) , [ocomtech@gmail.com](mailto:ocomtech@gmail.com) ;

Skype: ocominc2000, ocominc;

MSN: [ocomtech@hotmail.com](mailto:ocomtech@hotmail.com), [ocominc@hotmail.com](mailto:ocominc@hotmail.com);

Trademanager: [szocominc](https://www.trademanager.com/szocominc), cn1500439666;

QQ: 2485890637, 190852203;

Tel/Fax: +86.755.8605.3207.



## Documentos relevantes:

Você quer saber mais produtos informação? Por favor Clique aqui.

[Especificação](#)