

15 Inches All-in-One Touch Screen POS Terminal (Modelo: POS8815A)

Especificação:

Display	Display Área (mm)	304 milímetros (H) X228mm (V)
	Ponto Pith (mm)	0,294 milímetros 0,294 milímetros X
	Resolução	1024x768
	Brilho	350cd / m²
		Após Instalação de tela de toque, LCD Painel de luminância é 325cd / m²
	Contraste	500: 01: 00
	Cor	16.7M
	Resposta Tempo	15ms
	Vendo Ângulo	150 ° (H) 135 ° (V)
	Poder Fornecem	Externo Adaptador de alimentação: 12V / 5A
	Tocar Painel	5 fios Toque resistivo
a Principal Máquina	CPU	Intel Dual Core 1.8GHz 1037U
	Memória	DDR3 2GB
	Chipset	Intel Pine vista-D E Intel NM10
	SSD	32GB
	I / O	4xUSB2.0 , 1xLAN, 1x COM, 2x áudio, 1xVGA
	Operação Sistema	Apoio Windows 2000 / XP / Vista ou posterior, Mac OS X ou mais tarde, Linux
	Conformidade:	CE, FCC, UL E
Acessórios	Poder cabos	
		1x Unidade de CD instalado

Detalhes do produto:



Product Picture





Features

Simple but not easy

15 Inches All-In-One Touch
Screen POS Terminal



Compact design covers a lot of space



Compact design saves a lot of space

Touch Panel 5-wire Resistive Touch



POS peripherals products optional.
Customer display, Thermal printer,
Barcode scanner, Cash drawer...



All-round show





Application Area

Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop

Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop

Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket

Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf



Parameter

Display Area(mm)	304mm(H)X228mm(V)
Dot Pitch(mm)	0.294mm X 0.294mm
Resolution	1024X768

Display	Resolution	1024X768
	Brightness	350cd/ m ²
		After Installation of Touch screen ,LCD Panel Luminance is 325cd/ m ²
	Contrast	500:01:00
	Color	16.7M
	Response time	15ms
	Viewing Angle	150°(H) 135°(V)
	Power Supply	External Power adaptor: 12V/5A
Main Machine	Touch Panel	5-wire Resistive Touch
	CPU	Intel 1037U Dual Core 1.8GHz
	Memory	DDR3 2GB
	Chipset	Intel Pine view-D And Intel Nm10
	SSD	32 GB
	I/O	4xUSB2.0 , 1xLAN ,1x COM, 2x Audio, 1xVGA
	Operation System	Support Windows 2000 / XP / Vista Or Later, Mac OSX Or Later, Linux
Accessories	Compliance: CE, FCC, AND UL	
	Power cables	
	1x Drive installed CD	

Production Line





Capacity

Verified	Product Name	Production Line Capacity	Actual Units Produced(Previous Year)
✓	Thermal Printer	40,000 Sets / Month	250,000 Sets
✓	Dot Matrix Printer	15,000 Sets / Month	10,000 Sets
✓	Bluetooth Printer	30,000 Sets / Month	20,000 Sets
✓	Barcode Scanner	40,000 Sets / Month	20,000 Sets
✓	POS Machine	5,000 Sets / Month	10,000 Sets
✓	Magnetic Card Reader and Writer	45,000 Sets / Month	50,000 Sets

Quality Assurance

OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.



Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services. OCOM's products have passed CE, FCC, TUV, RoHS and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

Test Equipments

Verified	Machine Name	Brand & Model No.	Quantity
✓	Ageing Tester	No Information	6
✓	Withstand Voltage Tester	CC2670A	1
✓	Oscilloscope	TBS1102	1
✓	DC Power Supply	PS-305DM	6
✓	Digital Torque Meter	HP100	1
✓	Calliper	GUANGLU	2
✓	Multi-meter	VC890D	7
✓	Test Computer	No Information	13

Certifications



Packing and Shipment



Payment





Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.





Why you choose us?



Company Profile

**This Assessed Supplier Has Been
Independently Verified**

Build Your Growth On Trust



TÜV Rheinland





FOVHemmand
Precisely Right.



OCOM Technologies Limited founded in 2007, it is one of leading suppliers of POS and Auto-ID related products from China.

OCOM's products portfolio covers Thermal Printer, Dot Matrix Printer, Barcode Printer, Barcode Scanner, Magnetic Card Reader, POS Terminal and POS peripherals. Our products have passed CE, FCC, RoHS and other required certificates, and hot selling in Europe, Australia, Asia, and other area.



OCOM has a professional teams including marketing, R&D, quality control, production and sales service. The management members have worked in the FORTUNE 500 companies as senior managers for many years, All of the sales have more than 5 years experience, which help us to meet and exceed the customers' satisfaction.

OCOM has been sticking to the quality system of ISO9001:2008. We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty. We have the mass production capabilities that produce thousands of printers and scanners a week. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

"Integrity based, Strive for excellence, Win-win cooperation". We would like establish stable and reliable partnerships with customers all over the world. OEM/ODM is welcome.





Contact us

Any queries, please contact us immediately, big surprise is waiting for you.

Sales Center:

Address: Unit 701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan District,
Shenzhen 518054, China;

Websites: <http://www.thermalprinter.com.cn> ; <http://www.ocominc.com> ;

E-mail: ocom@ocominc.com , ocomtech@gmail.com ;

Skype: ocominc2000, ocominc;

MSN: ocomtech@hotmail.com, ocominc@hotmail.com;

Trademanager: szocominc, cn1500439666;

QQ: 2485890637, 190852203;

Tel/Fax: +86.755.8605.3207.



Documentos relevantes:

Você quer saber mais produtos informação?Por favor Clique aqui.

[Especificação](#)