

**58 milímetros pequeno portátil Bluetooth móvel Pos térmica impressora de recibos
(Modelo: OCPP-M03)**

Especificação:

Dimensões (W x D x H)	105 x 75 x 45 milímetros
Peso	134 g
Cor	Preto
Largura de impressão efectiva	48 milímetros
Método de impressão	Linha térmica de impressão
Comando de impressão	ESC / POS conjunto de instruções compatíveis
Velocidade de impressão	A 90mm / sec
Resolução	8 pontos / mm (203 dpi)
Imprimir Font	Em 12x24 / 24x24 em
A capacidade da coluna	32 / 16columns
Tamanho dos caracteres	1,5 x 3,0 milímetros (largura x altura) / 3.0x3.0mm (largura x altura)
Tamanho do papel	Diâmetro de 58,0 milímetros a 0,1 milímetros ± x40.0
Espessura do papel	0,06-0,08 mm
Character set	Alfanumérico / Texto chinês
Interface	USB, RS-232, Bluetooth (opcional)
Flash	256KB
Adaptador De Energia	DC 9V / 2A
Poder Bateria	A DC / 1500 mA 7.4V; bateria pode ficar em 4-5 dias, quando ele está cheio de força, ele pode imprimir Papel 120-150m
Outras Características	Detecção de papel, detecção de energia, manualmente desligar
Condições de trabalho	Temperatura: -10Celsius ~ 50CelsiusHumidity: 10% ~ 90%
Condições de armazenamento	Temperatura: -20Celsius ~ 70CelsiusHumidity: 5% ~ 95%
Nome Do Dispositivo	Pode ser personalizado para seleccionar letras e números com até 30 caracteres ASCII.
Senha	Entrada padrão emparelhando código "1234" Pode ser personalizado. Máximo 6 digitais.
Tamanho da ficha de alimentação	3,5 * 1,1 milímetros

Informações de encomenda	P / N	Descrição
	OCPP-M03-BB	Com Bluetooth e bateria, suport Android
	OCPP-M03-BB-AI	Com Bluetooth e bateria, suport Android e IOS
	OCPP-M03-UB	Com Barrery USB Comunicação,
	OCPP-M03-L	USB Comunicação, sem BT, bateria
	OCPP-M03-B	Comunicação Bluetooth, sem bateria
	OCPP-M03-UC	Comunicação USB, com carregador de carro
	OCPP-M03-BC	Comunicação Bluetooth com carregador de carro
	OCPP-M03-C	Outros personalizado



Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm

Delivery



Restaurant



Bus / Taxi Receipt



Traffic Citation



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,

Together we quest for the best.



Documentos relevantes:

*[Especificação](#)

*[Manual do Programa](#)

*[Instrução Manual](#)

*[Driver for WinXP Win2000 WinVista Win8-32bit](#)

*[Driver para Win8-64bit](#)

*[Driver para Linux](#)

*[Parâmetros de configuração da impressora Tools](#)

*[Printdemo USB\(Demo Software de Aplicação\)](#)

*[Bluetooth Printdemo\(Demo Software de Aplicação\)](#)

*[SDK para Android](#)

*[CD Arquivos](#)

Vídeos Relacionados:

[Como é a OCPP-m05-bb funciona via Bluetooth e USB cabo](#)

[OCPP-M05-BB-I trabalhar com Android e IOS Sistema](#)

[Vídeo para o trabalho OCPP-M05 com andriod tablet via cabo usb](#)

FAQ: