

## 58 milímetros Thermal Receipt Printer (OCP-582) (Modelo: OCP-582)

### Especificação:

Método de impressão	Térmica direta
Fonte Imprimir	FONT A: 33 ou 35; FONT B: 40 ou 42
Tamanho dos caracteres	Font A: 12 x 24; Fonte B: 9 x 17; Chinês: 24 X 24
Barcode	JAN13(EAN13)JAN8(EAN8)CODE39
Comando de impressão	compatível com EPSON ESC / POS
Idioma	Suporte ao idioma Comprador
Caracteres por linha	384dots / linha (203 dpi)
A velocidade de impressão	90 milímetros / seg
Largura do papel	57,5 ± 0,5 milímetros
Espessura do papel	0.06-0.08mm
MCBF (vida)	50 km
Dimensão	235X145X125mm
Peso bruto	2.6kg
Cortador automático	cortador manual
Sensor	Papel do sensor próximo, papel Sensor End, sensor de abertura da tampa
Papel de rolo	φ65mm
Interface	Paralela, USB, LAN
Condutor	Win 9X / ME Win / Win 2000 / Win 2003 / Win NT / Win XP / Win o Vista / Win 7 / Linux
Fonte de energia	DC12V / 3A

### Detalhes do produto:



## 58mm Thermal Receipt Printer

OCPP-582



### Product Picture





## Features

### *Simple but not easy*

High speed, long lifetime, high quality,  
low repair rate, applicable for various  
software





Modern design, easy to use



Support Logo download printing



GB2312 Chinese Character Library  
Support Simplified Chinese/traditional  
Chinese and various international  
languages



100MB Ethernet interface, quicker  
link and print, avoid losing the order



## All-round show





## Application Area

Food delivery, restaurant, Traffic Citation, Logistics,  
Transportation, Warehouse management, Delivery, Illegal  
Parking Ticket, Drugstore, Price Tag, Retail/Farm





## Parameter


Printing method	Direct thermal
Print font	FONT A: 33 or 35; FONT B: 40 or 42
Character size	Font A : 12 × 24; Font B : 9 × 17; Chinese: 24 X 24
Barcode	JAN13 (EAN13) JAN8 (EAN8) CODE39
Printing command	compatible with EPSON ESC/POS
Language	Buyer language support
Character per line	384dots/line (203DPI)
Printing speed	90mm/sec
Paper width	57.5±0.5mm
Paper thickness	0.06-0.08mm
MCBF(life)	50km
Dimension	235X145X125mm
Gross weight	2.6KG
Auto cutter	manual cutter
Sensor	Paper Near End Sensor, Paper End Sensor, Cover open
Roll paper	φ65mm
Interface	Parallel, USB, LAN
Driver	Win 9X/Win ME/Win 2000/Win 2003/Win NT/Win XP/Win Vista/Win 7/Linux

## Paper Roll Installation




- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

## Connection







- a. Plug the DC cord connector into the printer's power connector..
- b. Plug the data cable connector into the printer's interface connector.
- c. Plug the drawer cable into the drawer kick-out connector on the back of the printer next to the interface connector.

## Shipping and payment

1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
2. EXPRESS: around 3-7 working days to arrive
3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
4. By sea: depend on which destination port
5. T/T
6. Western Union
7. Escrow
8. L/C

## Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.





We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),

Together we quest for the best.



## Documentos relevantes:

[\\*Especificação](#)

[\\*Endereço IP Configurar manual](#)

[\\*Instrução manual](#)

[\\* Driver para todo o sistema de janelas](#)

[\\*Driver para Linux](#)

[\\*Parâmetros de configuração da impressora Ferramentas](#)

[\\*CD Arquivos](#)