# 80 milímetros cortador automático POS térmica impressora de recibos (Modelo: OCPP-806)

#### Especificação:

Método de impressão	Térmica direta
Personagem Impressão	576 pontos / linha, 512 pontos / linha, personagens ANK
Fonte	A: 12 * 24dots, 1.5 (W) * 3.0 (H) mm;
	B: 9 * 17dots, 1.1 (W) * 2.1 (H) mm
Simplificado / Chinês Tradiciona	al 24 * 24dots, 3.0 (W) * 3.0 (H) mm
Tipo de código de barras	UPC-A / UPC-E / JAN13 (EAN13) / JAN8 (EAN8) CODABAR / ITF / CODE39 /
	CODE93 / CODE128
Velocidade de impressão	300mm / s
Interface	Serial + USB + Ethernet
Impressão de Comando	Compatível com ESC / POS
Drivers	Win9X / Win2000 // Win2003 / Win Vista / Win 7 / Window XP /, compatível
	com ESPON
Largura de impressão	79,5 ± 0,5 milímetros (largura de impressão 72 milímetros)
Diâmetro Papel	83 milímetros
Espessura do papel	0.06-0.08mm
Cortador	Cortador automático
Confiabilidade Impressão	100 km
Poder	DC24V / 2.5A
Temperatura	0-45 grau
Contraste Umidade	10-80%
Dimensão Externa	195d * 155W * 148H mm
Peso bruto	2,70 kg
Pacote	Caixa interna: 29 * 21 * 17 centímetros; Tamanho da caixa (8 pcs): 60 * 44 * 36 (cm)

#### **Detalhes do produto:**







WWW.acom



# Simple but not easy

Water-proof and grease-proof.



WALK OCOUR



Support NV image downloading and printing Support different density bitmap graphics printing



Characters can be amplified, printed in bold optionally, and line spacing printing can be adjusted



### All-round show





# Application Area

Food delivery, restaurant, Traffic Citation, Logistics, Transportation, Warehouse management, Delivery, Illegal Parking Ticket, Drugstore, Price Tag, Retail/Farm







#### Paper Roll Installation




#### Setting the Printing Mode(DIP switches):


The DIP switches are used to set the printer to perform various functions, such as cutter mode, character set, speed, beeper, print density and etc.


# Parameter

Printing Method	Direct Thermal	
Printing Character	576 dots/line, 512 dots/line, ANK characters	
Font	A: 12*24dots,1.5(W)*3.0(H)mm;	
	B: 9*17dots,1.1(W)*2.1(H)mm	
Simplified/Traditiona I Chinese	24*24dots, 3.0(W)*3.0(H)mm	
Barcode Type	UPC-A/UPC-E/JAN13(EAN13)/JAN8(EAN8)CODABAR/ITF/COD	
	E39/CODE93/CODE128	
Printing Speed	300mm/sec	
Interface	Parallel or Serial + USB + Ethernet	
Printing Command	Compatible with ESC/POS	
Drivers	Win9X/Win2000//Win2003/Win Vista/ Win 7/Window XP /, compatible with ESPON, SAMSUNG	
Printing Width	79.5±0.5mm( print width 72mm)	
Paper Diameter	83mm	
Paper Thickness	0.06-0.08mm	
Cutter	Auto cutter	
Printing Reliability	100km	
Power	DC24V/2.5A	
Temperature	0-45 degree	
Contrast Humidity	10-80%	
External Dimension	195D*155W*148H mm	
Gross Weight	2.70kg	
Package	Inner Box: 29*21*17cm; Carton Size (8 pcs): 60*44*36(cm)	



### Connection





- a. Plug the DC cord connector into the printer's power connector..
- b. Plug the data cable connector into the printer's interface connector.
- C. Plug the drawer cable into the drawer kick-out connector on the back of the printer next to the interface connector.

Together we quest for the best.















#### Shipping and payment

- 1. Air, Sea, Express(DHL, FedEx, UPS, EMS, TNT and so on)
- EXPRESS: around 3-7 working days to arrive
- 3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
- 4. By sea: depend on which destination port
- 6. Western Union
- 7. Escrow
- 8. L/C



#### **Company Profile**



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.